

\$25.00

## Installation and Service Manual

# SBD2/X Series P.W.M. Motor Controller

M-8404 ISSUE 12

### NOTICE:

Upon receipt of the amplifier, closely inspect the components to ensure that no damage has occurred in shipment. If damage has occurred, notify the appropriate carrier at once.

### CAUTION:

Dangerous voltages exist in this equipment. Do not attempt connecting or probing in this equipment with power on.

Should any question arise regarding any step outlined in this manual please call the factory.

"Proprietary information of Industrial Drives Division of Kollmorgen Corporation furnished for customer use only. No other uses are authorized without written permission of Industrial Drives Division."



**INDUSTRIAL  
DRIVES**

**A  
KOLLMORGEN  
DIVISION**

Radford, Virginia 24141




## **European Community (EC) Declaration of Conformity**

We, Kollmorgen Corporation Industrial Drives Division, 201 Rock Road, Radford, Virginia USA; declare under sole responsibility that this equipment is exclusively designed for incorporation in another machine. The operation of this equipment is submitted to the conformity of the machine in which it is incorporated, following the provisions of the EC Electro-Magnetic Compatibility (EMC) directive 89/392/EEC.



**THE ELECTRONIC COMPONENTS  
IN THIS AMPLIFIER ARE  
STATIC SENSITIVE. USE  
PROPER PROCEDURES WHEN  
HANDLING COMPONENT BOARDS.**



## **INSTALLATION AND SERVICE MANUAL**

### **SBD2/SERIES MOTOR CONTROLLER M-8404 ISSUE 12**

**NOTICE:**

Upon receipt of the amplifier, inspect the components and ensure that no damage has occurred in shipment. If damage has occurred, notify the carrier at once.

**WARNING:**

**DANGEROUS VOLTAGES, CURRENTS, TEMPERATURES, AND ENERGY LEVELS EXIST IN THIS PRODUCT AND IN THE ASSOCIATED SERVO MOTOR(S). EXTREME CAUTION SHOULD BE EXERCISED IN THE APPLICATION OF THIS EQUIPMENT. ONLY QUALIFIED INDIVIDUALS SHOULD ATTEMPT TO INSTALL, SET-UP, AND OPERATE THIS EQUIPMENT.**

**WARNING:**

**INCORRECT MOTOR AND/OR RESOLVER WIRING CAN CAUSE ERRATIC OR RUNAWAY MOTOR OPERATION.**

"Proprietary information of INDUSTRIAL DRIVES, A Division of Kollmorgen Corporation, furnished for customer use only. No other uses are authorized without written permission of INDUSTRIAL DRIVES."

## **SAFETY FIRST**

**ONLY QUALIFIED PERSONNEL SHOULD WORK WITH THIS EQUIPMENT.**

**THE MOTOR THERMOSTAT IS AN AUTOMATIC RESETTING DEVICE AND WHEN APPLICABLE, MOST DEFINITELY SHOULD BE CONNECTED INTO A LATCHED (LOCKED-OUT) POWER DOWN TYPE CIRCUIT.**

**THE MOTOR OVERLOAD RELAY (CUSTOMER FURNISHED), IF SET TO THE AUTOMATIC MODE, SHOULD BE USED IN A LATCHED POWER DOWN TYPE CIRCUIT. THIS OVERLOAD DEVICE IS NORMALLY SET TO THE MANUAL MODE WHEN SHIPPED FROM INDUSTRIAL DRIVES.**

**PLEASE CHECK THE MOTOR OVERLOAD DEVICE TO INSURE THAT THE DEVICE IS IN THE MANUAL MODE.**

**DANGEROUS POWER LEVELS EXIST IN THIS EQUIPMENT. EXTREME CARE SHOULD BE EXERCISED WHEN INSTALLING TROUBLESHOOTING OR OTHERWISE WORKING WITH THE EQUIPMENT. DURING THE INITIAL "START-UP", BE PREPARED TO REMOVE THE MAIN POWER IF A MECHANICAL OR ELECTRICAL PROBLEM OCCURS. IF POSSIBLE, THE INITIAL "START-UP" OF THE EQUIPMENT SHOULD BE PERFORMED WITH THE MOTOR(S) DECOUPLED FROM ANY MACHINE COMPONENTS. IF THIS IS NOT PRACTICAL, PLEASE INSURE THAT ALL LIMIT SWITCHES AND OTHER SAFETY SHUT DOWN DEVICES ARE IN PLACE AND OPERATIONAL.**

**THE INFORMATION FOUND IN THIS INSTALLATION AND SERVICE MANUAL IS UPDATED FREQUENTLY DUE TO PRODUCT IMPROVEMENTS, ETC., AND MAY NOT CONFORM IN EVERY RESPECT TO FORMER VERSIONS OF THE EQUIPMENT IN THE FIELD.**

# TABLE OF CONTENTS

	<u>Page</u>
<b>1.0 INTRODUCTION</b> .....	<b>1</b>
1.1 Self Protection .....	2
<b>2.0 MOUNTING</b> .....	<b>2</b>
<b>3.0 WIRING</b> .....	<b>3</b>
3.1 Groundign Scheme .....	4
3.2 Power Inputs .....	4
3.3 Motor and Tachometer Connections .....	4
3.4 Signal Inputs and Modes of Operation .....	5
<b>4.0 PRELIMINARY CHECKS</b> .....	<b>7</b>
4.1 Power Transformer Hook-Up .....	7
4.2 Connecting the N/C or C/N/C .....	8
<b>5.0 ADJUSTMENTS</b> .....	<b>8</b>
5.1 Power Supply Adjustments .....	9
5.2 Regeneration Module Adjustments .....	9
5.3 Speed Scale Factor Adjustment Position Loop Machines .....	10
5.4 Speed Scale Factor Adjustment Manually Operated Machines .....	10
5.5 Velocity Loop Zero Adjustment Position Loop Machines .....	10
5.6 Velocity Loop Zero Adjustment Manually Operated Machine .....	11
5.7 A.C. Gain Adjustment .....	11
5.8 Current Sample Offset Adjustment .....	11
5.9 External Current Limit Adjustment .....	11
5.10 Current Limit Adjustment .....	12
5.11 Compensation Adjustment .....	12
5.12 Balance Adjustment .....	12
5.13 Tach Loss Trip Level Adjustment .....	13

# TABLE OF CONTENTS

	<u>Page</u>
<b>6.0 SIMPLIFIED THEORY OF OPERATION</b> .....	<b>13</b>
<b>7.0 TROUBLESHOOTING HINTS</b> .....	<b>14</b>
7.1 Motor Exhibits Very Low Torque or is Totally Inoperative .....	16
7.2 Motor is Erratic or Exhibits an Improper Mode of Operation .....	17
7.3 Individual Circuit Testing .....	18
7.4 Testing the Control Circuits .....	19
7.4.1 Checking the Enable Circuits .....	19
7.4.2 Checking the Triangle Wave Generator .....	20
7.4.3 Checking the D.C. to D.C. Converter .....	20
7.4.4 Checking the Base Drive Circuits, the Modulation Hybrid, the Velocity Loop Circuit, and the SBD Hybrid .....	21
<b>8.0 SPARE PARTS LIST</b> .....	<b>26</b>



## APPENDIX A

1.0	SBD Connector Information .....	27
1.1	Basic Connectors .....	27
1.2	Connector Kits and Cabling Model Number Systems .....	28

### SPEC DRAWINGS

Crimp Terminal Housing .....	A-81584 .....	29
Single Sided - Tin Plated Crimp Terminal .....	A-81585 .....	30
Polarizing Key .....	A-82779 .....	31
In Line Housing w/Flange ...	A-80838 .....	32
Solder Contact .....	A-80361 .....	33
In Line Housing w/Flange ...	A-80363 .....	34
Connector Clamp .....	A-80856 .....	35

## APPENDIX B

1.0	SBD Power Supply Information .....	36
1.1	Control Bus .....	36
1.2	Main Bus .....	36

## LIST OF ILLUSTRATIONS

SBF(P) 4-Axis Frame Assembly . . . . .	Figure 1 . . . . .	38
SBF(P) 4-Axis Frame Assembly w/SBD2 Amplifiers . . . . .	Figure 2 . . . . .	39
SBD2 Motor Control Module (Drive Amplifier) . . . . .	Figure 3 . . . . .	40
SBD2-MC2/SBD2-COMP2 (Motor Control and Compensation Board) . . . . .	Figure 4 . . . . .	41
SBR1 Regeneration Module . . . . .	Figure 5 . . . . .	42
SBP(R)1 15 Amp Power Supply Module . . . . .	Figure 6 . . . . .	43
SBP(R)1 Right Side View Showing Main Bus 25 Amp Power Supply Module . . . . .	Figure 7 . . . . .	44
SBP(R)1 Left Side View Showing Regeneration Module and $\pm 12$ Volt Control Supply . . . . .	Figure 8 . . . . .	45
SBD-COMP VG1 Board (Optional) . . . . .	Figure 9 . . . . .	46
SBD2-TL1 Board (Optional) . . . . .	Figure 10 . . . . .	47

## LIST OF DRAWINGS

Block Diagram .....	C-80684 .....	48
Schematic Single Board Amplifier .....	D-81235 .....	49,50
Schematic SBD2-COMP2 .....	C-80388-1 .....	51
Schematic SBD2-COMP3 .....	C-80389 .....	52
Schematic SBD2-COMP VG1 .....	C-82067-1 .....	53
Schematic SBD1-PS1 .....	C-80132-1 .....	54
Schematic SBD-PS2 .....	C-81558-1 .....	55
Schematic ACS-REG1 Regen Board .....	C-79668-1 .....	56
Schematic ACS-REG2 Regen Board .....	C-80737-1 .....	57
Schematic SBD2-TL1 .....	C-81633-1 .....	58
Outline & Dimension SBFP1 14.5 in. Frame .....	C-80231 .....	59
Outline & Dimension SBFP1 19.0 in. Frame .....	C-80311 .....	60
Outline & Dimension SBD2 .....	C-80447 .....	61
System & Internal Wiring SBP1-15 .....	C-81606 .....	62
Frame Assembly Schematic SBFP1/4 .....	C-80316-1 .....	63
Frame Assembly Schematic SBFP1/6 .....	C-80481 .....	64
System Wiring Diagram SBFP1/2222 .....	C-80275 .....	65
System Wiring Diagram SBFP1/2222 .....	C-80312 .....	66,67
System Wiring Diagram SBFPS/2222R ...	C-81615 .....	68,69
System Wiring Diagram SBD2 .....	C-80446 .....	70

## LIST OF DRAWINGS

System Wiring Diagram SBP1-48-13000 ..	C-80770 .....	71
System Wiring Diagram SBPR1 .....	C-80636 .....	72
Connector Kit-Bus SBD2 .....	B-80746 .....	73
Connector Kit-Motor SBD2 .....	B-80781 .....	74
Logic Cable Assembly SBP1-15 .....	B-81990 .....	75
Logic Cable Assembly .....	B-81526 .....	76

## PREFACE

This Service and Installation Manual is a general document and is applicable to the entire SBD product line. However, since these amplifiers are interfaced with motors of varying sizes and different operating characteristics; such as internal resistance, inductance, rotor inertia, etc., the complete model numbers of the amplifiers will vary more or less with the motors they are made compatible with. Thus, after the amplifier is mated with a particular motor, along with a single-phase or three-phase isolation transformer to form a complete Rate Loop System, the model number applied to the amplifier nameplate may be understood to be the basic model number for the system.

The Test Limits and Modification Sheet (TL) is a specific document and is applicable only to individual systems or axis sections. The TL Sheet contains such information as maximum operating speed, peak current limits, and the component compensation values which make a particular amplifier compatible with the motor.

The TL Sheet will be found in the inside pocket of the front cover of the manual shipped with each amplifier package. Some packages may contain more than one motor control section to form a multi-axis drive package. In such cases, there will be as many TL Sheets as there are various types of motors.

SBF(A)  
SINGLE BOARD FRAME ASSEMBLY  
MODEL NUMBER SCHEME

Example: SBF(A) B/C-D-EGH  
Refer to Figures 1 and 2

- SBF ..... Single Board Frame
- A ..... Power Supply Option
  - P ..... Main Bus and Logic Power Supplies
  - H ..... Main Bus Power Supply Only
  - L ..... Logic Power Supply Only

**NOTE: IF P,H, OR L ARE NOT INDICATED, THERE IS NO MAIN BUS OR LOGIC POWER SUPPLY.**

- B - 1,3 ..... Generation
- C ..... Single Board Spacing Options (Examples)
  - 5x2" ..... 5 Axis, 2" Spacing (19" Frame)
  - 3x4" ..... 3 Axis, 4" Spacing (19" Frame)
  - 2x6" ..... 2 Axis, 6" Spacing (19" Frame)
  - 446 ..... 3 Axis, Two 4" and One 6" Spacing
  - 22244 ..... 5 Axis, Three 2" and Two 4" Spacing
  - 22226 ..... 5 Axis, Four 2" and One 6" Spacing
  - 222224 ..... 6 Axis, Five 2" and One 4" Spacing
- R ..... Regeneration Module, One 2" Spacing
- D - 48, 60 ..... Continuous Current Rating

- E - ..... Main D.C. Bus Voltage Rating
  - 1 ..... 160
  - 2 ..... 225
- G - ..... Phase Option
  - 1 ..... Single Phase Input Power
  - 3 ..... Three Phase Input Power
- H - ..... Other Options
  - 000 ..... No Option
  - 001 ..... Special Oversized Framework

To create a Single Board Multi-Axis system from the SBF(A) assembly, the appropriate Single Board Drive (amplifier) (SBD2 or SBD4\*, etc.) dimensions must be considered. Also, if a SBR1 Single Board Regeneration (Module) is required, its dimensions must be considered.

Example: SBFP3/222R-48-23000

Interpretation of the above model number reveals the following:

- P) The SBF contains a Main Bus and Logic Power Supply.
- 3) The SBF is a 3rd Generation Single Board Frame Assembly.
- 2222R) The SBF contains four SBD2 modules and one SBR1 (Single Board Regeneration Module).
- 48) The SBF Main Bus Power Supply is rated at 48 amps continuous.
- 2) The SBF Main Bus Power Supply is rated at 225 volts.
- 3) The SBF input power is from a 3 phase source.
- 000) There are no options.

**NOTE: 1**

The SBD2 amplifiers are rated at 01, 06, 10, 16, and 20 amps continuous and are all 2" packages (Covered in Installation and Service Manual, M-8404). The SBD2 amplifiers may be mounted in the SBF "Single Board Frame" assembly or mounted as stand-alone units.

\*The SBD4 amplifiers are rated at 30, 45, and 60 amps continuous. The 30 and 45 amp units are 4" packages. The 60 amp unit is a 6" package (Covered in Installation and Service Manual, M-8508). The SBD4 amplifiers may be mounted in the SBF "Single Board Frame" assembly or mounted as stand-alone units.

The SB(R)1 Regeneration Module is a 2" package. It may be mounted in a SBF "Single Board Frame" assembly or mounted as a stand-alone unit.

The SBP(R)1 Power Supply with Optional Regeneration Module may be mounted as a stand-alone unit only.



**SBD2  
SINGLE BOARD DRIVE (AMPLIFIER)  
MODEL NUMBER SCHEME**

Example: SBDA-B-CD-E/F-G  
Refer to Figure 3

<b>SBD</b>	.....	Single Board Drive (Amplifier)
<b>A - 2</b>	.....	Generation
<b>B - 01, 06, 10, 16, 20</b>	.....	Contiuous Current Rating
<b>C</b>	.....	Standard Maximum Output Voltage
<b>1</b>	.....	160
<b>2</b>	.....	225
<b>*D</b>	.....	Option
<b>101</b>	.....	O.K. to Enable & Enabled Output Relay Contacts and Precision I <sup>2</sup> t Foldback Circuit
<b>102</b>	.....	Same as 101, but with Direction Limits
<b>103</b>	.....	Same as 101, but with Tach Loss Circuit
<b>105</b>	.....	Same as 101, but with Variable Gain Compensation Card. Operates at 6.8khz
<b>106</b>	.....	Same as 102 w/Tach loss SBD2-TL1 Card
<b>111</b>	.....	Same as 101, but with Dual Compensation Card
<b>112</b>	.....	Same as 111, but with Direction Limits
<b>123</b>	.....	Using SBD2-COMP VG1 Comp Board and SBD2-TL1 Card

135	.....	Comp Card w/Gain Changer and Fault Detector
200	.....	OPTO-Isolated Enabled Outputs and Standard I <sup>2</sup> t Circuit (UL - N/A)
201	.....	Relay Enabled Outputs & Precision I <sup>2</sup> t Circuit (UL - N/A)
202	.....	Directional Limit (UL - N/A) + 102
210	.....	Same as 200 w/Dual Compensation
211	.....	Same as 201 w/Dual Compensation
212	.....	Directional Limit (UL - N/A) + 112
E	....	Motor Compensation Code
F	....	Compensation Voltage: 90, 120, 160, 180 or 225
G	....	Compensation Current: 01, 06, 10, 16, or 20

**NOTE:**

**1 - ALL SBD2 units operate at a 10 khz switching frequency except:**

- I. The 1 amp continuous units which operate at 15khz.**
- II. The 105 units which operate 6.8khz.**

**2 - SBD2 amplifiers compensated to operate on Bus Voltages of 70 to 160 volts, when powered from a 160 vdc supply, will have their under volts fault latches set to trip at approximately 60 volts and their over volts fault latches set to trip at approximately 225 volts.**

**3 - SBD2 amplifiers compensated to operate on Bus Voltages of 110 to 225 volts, when powered from a 225 vdc supply, will have their under volts fault latches set to trip at approximately 100 volts and their over volts fault latches set to trip at approximately 300 volts.**

**\*FOR UNIT WITH MATING CONNECTORS, PUT "3" AS FIRST DIGIT FOR NON-UL, OR "4" AS FIRST DIGIT FOR UL UNITS. EXAMPLE: 300 (NON UL) 400 (UL)**

**NOTE: SBD2-FDB EXTERNALLY MOUNTED FAULT DETECTION BOARD AVAILABLE**

**SBR1  
SINGLE BOARD REGENERATION MODULE  
MODEL NUMBER SCHEME**

Example: SB(A) B-C-E  
Refer to Figure 5

- SB . . . . . Single Board (Regen Module)
- A - . . . . . Regeneration Only
- B - . . . . . Generation
- C - . . . . . Options
  - 1000 . . . . . Standard 160 Volt Unit
  - 2000 . . . . . Standard 225 Volt Unit
- E - . . . . . D. C. Bus Level
  - 160 . . . . . 160 Volt Regulation
  - 225 . . . . . 225 Volt Regulation

Sometimes, this module will be combined with the SBP1 Power Supply Module to form the SBP (R) 1 Module, shown in Figures 7 and 8 (25 amp unit).

**SBR1  
SINGLE BOARD POWER SUPPLY AND REGENERATION MODULE  
MODEL NUMBER SCHEME**

Example: SB(A) (R)B-C-EGH  
Refer to Figures 6, 7, and 8

SB	.....	Single Board (P.S./Regen Module)
A	.....	Power Supply Option
P	.....	Main Bus and Logic Power Supplies
H	.....	Main Bus Power Supply Only
L	.....	Logic Power Supply Only
R	.....	Regeneration Module Option
B - 1	.....	Generation
C - 15,25,48	.....	Continuous Current Rating
E	.....	Main D.C. Bus Voltage Output
1	.....	160
2	.....	225
G	.....	Phase Option
1	.....	Single Phase Input Power
3	.....	Three Phase Input Power
H	.....	Cooling Option
000	.....	With Fan
001	.....	Without Fan

Sometimes, this Stand Alone module will be combined with the SBR1 Regeneration Module, shown in Figure 5, to form the SBP(R)1 Module, shown in Figures 7 and 8 (25 amp unit)

## 1.0 INTRODUCTION

The SB (Single Board) pulse-width-modulated servo amplifiers are offered in a basic "building block" concept. Designed and manufactured by INDUSTRIAL DRIVES to offer versatility to the market place around a single motor control module (see Figures 2, 3, and Outline & Dimension Drawing C-80447).

With exception of the power supplies each SB (Single Board) unit is itself a complete motor controller. These Single Board motor controllers are offered in several sizes and configurations. The SB1, SB6, SB10, SB16, and SB20 are single board servo amplifiers with 1A/2A, 6A/12A, 10A/20A, 16A/32A, 20A/40A (continuous/peak) current ratings. These SB units operate on numerous bus levels from 70 to 225 volts. Each SB is a single servo amplifier module which may be supplied with mating connectors directly from connector houses or obtained as customer furnished items from INDUSTRIAL DRIVES (See Appendix A for connector information). The customer may wish to furnish the DC bus and  $\pm 12$  volt regulated power supplies for the control logic, or purchase these with amplifier to form a complete SBD (Single Board Drive) system. One power supply module can supply all the voltages necessary, along with the regeneration circuitry, to support as many as 6 different SB motor control modules. (See Appendix B for  $\pm 12$  volt logic and main bus power supply information).

In the SBD (Single Board Drive) system, up to six SB's (Single Boards) can be incorporated into a 19 inch rack complete with the necessary power supplies or the customer may elect to furnish these power supplies. (See Appendix B for information on stand alone power supplies). A dual compensation board is also available to allow switching between two motors from a single SBD amplifier. The SBD amplifiers are downward compatible and may be interchanged provided the proper compensation board is installed. With the SBD system, customers have the flexibility of selecting the proper size of individual SB motor controllers for a variety of applications.

Motor Overload Relays (and in some applications, Dynamic Braking) are recommended. INDUSTRIAL DRIVES has these options available whenever your application may require them.

Some of the SBD2 ratings are application dependent in the areas of mounting configuration and air flow. If in doubt about your application, please let our applications department assist you.

## 1.1 Self Protection

The SBD amplifiers are fully protected against a variety of fault conditions for improved reliability:

### Over Current Protection

- Motor line shorted to ground
- Short across the motor terminals
- Motor peak current foldback

### Over Voltage Protection

- Application of excessive power bus
- Excessive power bus pump-up due to regeneration

### Under Voltage Protection

- Insufficient power bus voltage.
- Loss of +12 volt control voltage.

### Thermal Shutdown Protection

- Excessive heatsink temperature.

To reset the SBD2, remove and reapply power to the unit.

## 2.0 MOUNTING

**Refer to the Appropriate Outline & Dimension Drawings.**

The SBD motor control modules may be individually mounted as single-axis motor controllers (customer furnished fans) or obtained within a rack to form a multi-axis drive system. The regeneration module (application dependent) can

support up to 6 SB motor control modules. The power supplies, typically can likewise support up to 6 SB motor control modules. The regeneration and power supply moduels may also be located within the rack panel or may be individually mounted. The power supply and regeneration modules are optional furnished items. For best reliability, it is recommended that all of the modules be mounted in their vertical up-right position.

### **3.0 WIRING**

**Refer to the Appropriate System Wiring Diagrams and Figures in the back of this Manual.**

**IN ORDER TO ADHERE TO SUITABLE ENGINEERING PRACTICES, IT IS RECOMMENDED THAT THE CONTROL VOLTAGE (115V AC FOR THE  $\pm 12V$  BUS) BE APPLIED FIRST IN ORDER TO ACTIVATE THE CONTROL AND FAULT CIRCUITS BEFORE APPLYING THE MAIN BUS.**

Reference to the NOTES on the appropriate System Wiring Diagram will aid in correctly "wiring the system up."

The following precautions are recommended:

1. Twist all A.C. leads to minimize electromagnetic emission and pick-up.
2. Avoid running signal leads (shielding recommended) in close proximity to power leads, armature leads, or other sources of electromagnetic noise.
3. Minimize lead lengths as much as practical.
4. Double-check all wiring. Carefully inspect all connections.
5. Connect the SBD wiring according to the appropriate wiring diagram, paying close attention to the grounding scheme.

### **3.1 Grounding Scheme**

Each SBD amplifier common is made via the main bus supply common. The main bus supply common should be connected to the system ground point. DO NOT DAISY CHAIN THE GROUND RUN BETWEEN SEPARATE SBD UNITS.

### **3.2 Power Inputs**

When the power supplies are not furnished by INDUSTRIAL DRIVES, flying leads are provided for hook-up. Also connector kits may be obtained directly from connector vendors (see Appendix A) or ordered from INDUSTRIAL DRIVES DIVISION.

When utilizing the Frame Assemblies, the main bus high should be connected to C15-3 of the SBD2 units. The main bus common should be connected to C15-1 of the SBD2 units.

The control power supply should be connected to the SBD2 amplifier in the following manner:

- +12 volts to Connector LS-1.
- Common to Connector LS-2
- 12 volts to Connector LS-3

The 3-phase transformer Y secondary may be connected directly to the diode bridge without regard to line phasing for the main power supply. (Refer to Frame Assembly Schematics C-80316-1 or C-80481, and Figures 1 and 2).

A 115V AC source must be connected to the  $\pm 12$  volt power supply card connector C14 at pins P & R.

For the stand alone modules, refer to Figures 3,5,6,7,8 and Drawings C-80446, C-80770, and C-80636.

### **3.3 Motor and Tachometer Connections**

The tachometer leads should be a shielded pair and should be terminated at Connector I/O -2 and 3.

The motor armature leads should be twisted when possible and should be terminated at Connector C12-1 and 3.



**CAUTION: To avoid runaway the motor and tach must be phased properly.**

Before applying power to the SB amplifier make the following servo polarity check. With a voltmeter on a sensitive VDC scale (3 volts or so), place the black lead on connector C12-1 and the red lead on connector C12-3 or if a connector is not used place the black lead on the stud marked ML (motor low) and the red lead on the stud marked MH (motor high). Have an assistant rotate the motor shaft and note the polarity indicated by the meter.

Next, place the black lead on Connector I/O -2 and the red lead on Connector I/O -3. Have an assistant rotate the motor shaft once again in the same direction and note the polarity indicated by the meter is opposite that of the previous step; if not, reverse the tach or motor leads.

If the motor moves in the wrong direction when the power is applied, remove power and reverse both motor and tach leads.

### 3.4 Signal Inputs and Modes of Operation

TERMINATIONS TO CONNECTOR I/O:

SIGNAL AND SHIELD COMMONS may be terminated at I/O -1,8,13 and 16. (Shields should be grounded at one end only).

The TACHOMETER FEEDBACK SIGNAL is terminated at I/O -3 with respect to I/O -2.

The CURRENT MONITOR waveform may be observed at connector I/O -4. There is a direct relationship between this waveform and the actual motor current. A D.C. voltmeter placed between I/O -4 and common (calibrated in either current or lb.ft) can serve as a means by which the constant load levels placed on the motor may be monitored. The current scale factor at I/O -4 may be determined by the following chart:

<u>Amplifier</u>	<u>Peak-Current</u>	<u>Voltage-at-I/O-4 at-Peak-Current</u>
SBD2-01	02	6.5
06	12	6.5
10	20	6.5
16	32	6.5
20	40	6.5

The COMP SWITCH input at I/O -5 when taken low changes the internal compensation for alternate motor control. This input is utilized when the SBD servo amplifier is equipped with the optional dual compensation board and used to control two separate motors.

The DIRECTION LIMITS at I/O -6 and 7 must be held low during normal operation. These inputs are intended to be incorporated into the overall machine protection scheme, such as over-travel limit switches, etc. When either of these inputs transition high continued motion will be prevented, while allowing movement in the opposite direction. The DIRECTION LIMITS circuitry is optional and may not be installed on the SBD2.

The EXT. LIMIT input at I/O -10 is taken low when external control for the reduction of motor torque is desired. When this input is taken high full motor torque is restored. The EXTERNAL CURRENT LIMIT circuitry is optional and may not be installed on the SBD2.

The ENABLE input at I/O -11 when held low serves as the SB amplifier ENABLE. When I/O -11 transitions high the amplifier becomes INHIBITED.

The TORQUE HOLD input at I/O -12 when pulled low converts the SB amplifier from a constant velocity (speed proportional to a command input signal) to a constant torque (torque proportional to a command input signal) system. The Torque Hold mode of operation may be utilized when the motor is required to dwell against hard stops or operate in a tension control system.

The Velocity Input Signal (max.  $\pm 8V$ ) is applied to the Diff. Hi with respect to the Diff. Lo inputs at I/O -14 and I/O -15, except when the SBD2-Comp VG1 Board Option is utilized. See Figure 9 and Drawing C-82067-1.

#### TERMINATIONS TO OUTPUT CONNECTOR:

The O.K. TO ENABLE at Output -1 and 3 when low (closed) is an internal indication to the outside world that no faults exist within the SBD amplifier and that the ENABLE mode may be initiated.

The ENABLED at Output -4 and 5 when low (closed) is an internal indication to the outside world that the SB amplifier is presently in its ENABLED mode or when this output is high is an indication that the SB amplifier is presently in its INHIBIT mode.

The standard SBD amplifier will have a relay output for O.K. TO ENABLE and ENABLED. An Opto Coupler output is optional.

## 4.0 PRELIMINARY CHECKS

**Refer to the Appropriate System Wiring Diagram.**

Once the SBD system has been installed and wired in continue with the Preliminary-Check-Out procedure to ensure proper operation.

The following equipment will be required:

- Adjustable signal source 0 to  $\pm 8V$  DC @ 10ma.
- D.C. voltmeter (Simpson or Triplett, etc.)

### 4.1 Power Transformer Hook-Up

Before applying the main power do the following:

- Open the power circuit of the isolation transformer secondary by removing the fuses or disconnecting the wiring from the diode bridge of the main bus power supply.
- Apply power. Monitor the line-to-line voltage of the three-phase secondary to ensure that it is correct and that the transformer has wired correctly. Remove power.
- Reconnect the transformer secondary to the diode bridge of the main bus power supply. Disconnect the connector C15 from the SBD unit(s). Apply power. Monitor the main bus voltage at the loose connector to ensure that it is correct. Remove power. Allow approximately 2 minutes for the power stage capacitors to discharge. Reconnect connector C15 to the SBD unit(s).

**NOTE: IN THE CASE OF SB MULTI-AXIS SYSTEMS, IT IS RECOMMENDED THAT THE SYSTEM BE CHECKED OUT ONE AXIS SECTION AT A TIME. AXIS SECTIONS NOT BEING CHECKED SHOULD BE INHIBITED BY REMOVING CONNECTOR C-15.**

Begin the initial start-up of the axis section with the control input circuitry disconnected, using the adjustable D.C. signal source instead. In this fashion, the velocity loop SB amplifier can be individually checked without complications from the control circuitry. It is also recommended that the load(s) be disconnected from the motor(s).

Apply power, and enable the SB unit, being ready to switch off the main power if runaway occurs. If the motor sits still and the results to this point are satisfactory, proceed. If the motor runs away, recheck the motor tach phasing per Section 3.3.

Using the adjustable D.C. signal source, and starting with a small signal, apply a command to the input of the amplifier. Run the motor first in one direction then the other. Have an assistant help observe the operation of the motor. The motor should accelerate and decelerate with quick crisp response and run with constant speed for any given input signal level.

**DO NOT RUN THE MOTOR IN EXCESS OF THE MAXIMUM SPEED SPECIFIED BY THE TL SHEET FOR THE SYSTEM**

## **4.2 Connecting the N/C or C/N/C**

Remove the power. Remove the D.C. signal source and connect the Control input signal. Reconnect the load to the motor shaft.

**CAUTION: INCORRECT SERVO TO POSITION LOOP PHASING  
CAN CAUSE LARGE EXCURSION OSCILLATIONS  
OR RUNAWAYS.**

Appropriate precautions should be taken to stop the machine if necessary. Slides, etc. should be moved a reasonable distance away from hard stops before applying power.

Apply power and observe the action of the machine. If it is determined that the direction of rotation of the motor is reversed, or runs in the wrong direction, remove power and reverse both the tach leads and the motor armature leads.

## **5.0 ADJUSTMENTS**

**Refer to Figures 1, 3, 5, 8, 9, and 10.**

There are eight adjustments in the standard SBD motor control system at the present time. Only unsealed pots need to be adjusted at the time of start-up. When it becomes necessary to make the sealed adjustments, they should be made in the following order:

## **5.1 Power Supply Adjustments (Factory Set and Sealed)**

Refer to Figure 1, Figure 8, and Drawing C-80132-1.

With a D.C. voltmeter monitor the +12 volt test point (TP13A) on the SBD1-PS1 power supply card. Adjust Pot 10 for +12 volts  $\pm 100$ mv. Monitor the -12 volt test point (TP13C). Adjust Pot 29 for -12 volts  $\pm 100$ mv.

<p><b>NOTE: THE POWER SUPPLY IS OPTIONAL AND MAY NOT BE SUPPLIED BY INDUSTRIAL DRIVES.</b></p>
--

## **5.2 Regeneration Module Adjustments (Factory Set and Sealed)**

Refer to Figures 5, 8, and Drawings C-79668-1 or C-80737-1.

For SBD2 amplifiers using bus levels of 160 volts or less, the ACS-REG2 board should be adjusted in the following manner:

With a D.C. voltmeter, monitor TP6 on the ACS-REG2 or TP38 on the ACS-REG1 board. Adjust Pot 20 or (Pot 26) for +6.38 volts. With a D. C. voltmeter, monitor TP27 on the ACS-REG2 or TP30 on the ACS- REG 1 board. Adjust Pot 19 or (Pot 27) for +8.0 volts.

When the SBD2 amplifier is utilized with bus voltages up to 160 volts, then the maximum level to which the bus will be allowed to rise during regeneration will be limited to approximately 225 volts.

For SBD2 amplifiers using bus levels above 160 volts, but not more than 225 volts, the ACS-REG2 board should be adjusted in the following manner:

With a D.C. voltmeter, monitor TP6 on the ACS-REG2 or TP38 on the ACS-REG1 board. Adjust Pot 20 or (Pot 26) for +6.38 volts. With a D.C. voltmeter, monitor TP27 on the ACS-REG2 or TP30 on the ACS- REG1 board. Adjust Pot 19 or (Pot 27) for +8.2 volts.

When the SBD2 amplifier is utilized with bus voltages between 160 and 225 volts, then the maximum level to which the bus will be allowed to rise during the regeneration cycle will be limited to approximately 300 volts.

### **5.3 Speed Scale Factor Adjustment (Position Loop Machines)**

Monitor the input at Diff. Hi with respect to Diff. Lo at the rear of Connector I/O -14 and 15 (refer to System Wiring Diagram C-80446 or C-80312) with a D.C. voltmeter. EXCEPTION: When the SBD2-COMP VG1 Board is utilized, refer to Figure 9 and Drawing C-82067-1, then follow the same procedure.

Command maximum traverse speed from the N/C or C/N/C.

Adjust Speed Scale Pot 28, located on the Compensation Card, to obtain the voltage level which the Control normally delivers at maximum traverse speed. If the "following error" is displayed by way of read-out, simply adjust the Speed Scale Factor Pot for the proper amount of "following error" (Refer to Figure 3).

### **5.4 Speed Scale Factor Adjustment (Manually Operated Machines)**

Monitor the input at Diff. Hi with respect to Diff. Lo at the rear of Connector I/O -14 and 15 (refer to System Wiring Diagrams C-80446 or C-80312) with a D.C. voltmeter.

Apply command signal of the desired voltage level (4 to 8 volts) which represents maximum traverse speed. Adjust the Speed Scale Factor Pot 28, located on the Compensation Card, for maximum traverse speed. EXCEPTION: If the SBD2-Comp VG1 Board is utilized, refer to Figure 9 and Drawing C-82067-1, then follow the same procedure.

### **5.5 Velocity Loop Zero Adjustment (Position Loop Machines)**

Monitor the input at Diff. Hi with respect to Diff. Lo at the rear of Connector I/O -14 and 15 (refer to System Wiring Diagrams C-80446 or C-80312) with a D.C. voltmeter.

Command zero speed from the N/C or C/N/C. If there is a small amount of signal level present, adjust the Velocity Loop Zero Pot 6, located on the Main Card, for zero volts on the meter. (Refer to Figure 3)

Optional: If the "following error" is displayed by way of read-out, simply adjust the Velocity Loop Zero Pot for zero following error at zero speed.

**EXCEPTION:** When the SBD2-Comp VG1 Board is utilized, refer to Figure 9 and Drawing C-82067-1, then follow the same procedure. (Pot 6 on the SBD2 Board is not used).

## 5.6 Velocity Loop Zero Adjustment (Manually Operated Machine)

Monitor the input at Diff. Hi with respect to Diff. Lo at the rear of connector I/O -14 and 15 (refer to System Wiring Diagrams C-80446 or C-80312) with a D.C. voltmeter. With the input signal at zero volts adjust the Velocity Loop Zero Adjustment Pot 6, located on the Main Card, for zero speed (refer to Figure 3).

**EXCEPTION:** If the SBD2-Comp VG1 Board is utilized, refer to Figure 9 and Drawing C-82067-1, then follow the same procedure. (Pot 6 on the SBD2 Board is not used).

## 5.7 A. C. Gain Adjustment

In many cases, this pot may be turned fully CCW and disregarded. However, if necessary, the A.C. Gain Pot, located on the Compensation Card, can be used to increase the A.C. Gain of the servo loop. With an oscilloscope, monitor the "I MONITOR" signal at the rear of Connector I/O -4 (refer to System Wiring Diagrams C-80446 or C-80312). Accelerate and decelerate the motor at approximately 50% of maximum speed. Starting from a fully CCW position adjust the A.C. Gain Pot slowly CW to obtain optimum dynamic response. While accelerating and decelerating the motor and slowly adjusting the pot CW, watch for indications of instability in the current waveform.

**CAUTION:** Increasing the A.C. Gain too much may cause the system to go unstable.

## 5.8 Current Sample Offset Adjustment

Factory Set and Sealed, Refer to Figures 3, 4, and Drawing D-81235

Remove power. Place a jumper between TP45-3(VLI) TP45-8(VLO), (Refer to Figure 3). With an Oscilloscope, monitor the SBD I/O Connector at Pin 4(I-Monitor). Apply power and Enable the amplifier. Adjust Pot 36B so that the waveform is equally centered above and below a zero centered baseline trace of the oscilloscope. Remove power and remove the jumper.

## 5.9 External Current Limit Adjustment (Refer to Figure 9)

The External Current Limit adjustment applies only when the SBD2-COMP VG1 Board is utilized.

When the optional External Current Limit circuit is installed and Pin 10 of Connector I/O on the SBD2 amplifier has been pulled low; reduction of motor current will be in effect. With a step input command signal, accelerate and decelerate the motor at some medium speed. With an oscilloscope, monitor Pin 4 (I-Monitor) of Connector I/O on the SBD2 (Is accessible at the back side of the connector). Adjust Pot (6) on the SBD2-COMP VG1 Board for desired peak current. Refer to Section 3.4 for current scaling at Connector I/O -4.

### **5.10 Current Limit Adjustment (Refer to Figure 9)**

The Current Limit adjustment applies only when the SBD2- COMP VG1 Board is utilized.

When the optional SBD2-COMP VG1 is installed, means for adjusting the peak current is available. With a step input command signal, accelerate and decelerate the motor at some medium speed. With an oscilloscope, monitor Pin 4 (I-Monitor) of Connector I/O on the SBD2 (accessible at the back side of the connector). Adjust Pot (7) on the SBD2- COMP VG 1 Board for desired peak current. Refer to Section 3.4 for the current scaling at Connector I/O -4.

### **5.11 Compensation Adjustment (Refer to Figure 9)**

The Compensation Adjustment applies only when the SBD2-COMP VG1 Board is utilized.

When the optional SBD2-COMP VG1 Board is installed, a means for adjusting velocity loop response is available. With a step input command signal, accelerate and decelerate the motor at approximately 25% of maximum speed. With an oscilloscope, monitor Pin 3 (tach signal) with respect to 2 of Connector I/O on the SBD2 (accessible at the back side of the connector). Adjust Pot (11) on the SBD2-COMP VG1 Board for desired response. Turn Pot (11) c.c.w. for maximum damping effect.

### **5.12 Balance Adjustment (Refer to Figure 10)**

The Balance Adjustment applies only when the SBD2 TL1 Board is utilized.

When the optional SBD2 TL1 Board is installed, a means for balancing a scaled motor voltage sample is provided. Monitor TP28 on the SBD2 TL1 Board with a D.C. voltmeter. Run the motor at 50% of maximum speed and adjust Pot (35) for zero volts on the voltmeter. Run the motor in the opposite direction, TP28 should be approximately zero volts.



### 5.13 Tach Loss Trip Level Adjustment (Refer to Figure 10)

The Tach Loss Trip Level Adjustment applies only when the SBD2 TL1 Board is utilized.

When the optional SBD2 TL1 Board is installed, a means for setting the tach loss trip point is provided. Adjust Pot (30) fully c.c.w. Remove Jumper JR31 from Pins 2 to 3 on the SBD2-TL1 Board. Run the motor to 200 r.p.m. Adjust Pot (30) c.w. until the system just shuts down. Remove power. Reinstall Jumper JR31 at Pins 2 to 3 on the SBD2 TL1 Board.

**EXCEPTION:**

If the SBD2 TL1 Board is used only to generate a signal proportional to motor speed, to provide for current limiting as a function of speed, Pot (30) will be rendered ineffective. This is normally done when the SBD2 motor controller is utilized as a power amplifier only with no velocity loop mode of operation.

## 6.0 SIMPLIFIED THEORY OF OPERATION

The SB amplifiers are "Velocity Loop" amplifiers. A Velocity Loop amplifier is a device that maintains a speed proportional to a command input signal level.

A single-axis SBD amplifier consists of five (5) basic modules.

- |                      |                              |
|----------------------|------------------------------|
| 1. SBD Drive Hybrid  | 3. Comp. Module (SBD2-COMP2) |
| 2. Modulation Hybrid | 4. Main Board (SBD2-MC2)     |
|                      | 5. Heat Sink                 |

The SBD Drive Hybrid performs the Analog Interface Current Control, Direction Limits, Overspeed Shutdown, and Fault Monitoring functions.

The Modulation Hybrid receives the current output signals from the SBD Drive Hybrid and transforms these analog signals to pulse-width modulated signals. The pulse-width modulation signals are then applied to the base-drive circuits which control switching of the large single power transistor stages.

The Compensation Module contains the speed and A.C. gain adjustments, the current limiting circuits, and the lead and lag networks for proper velocity and current loop performance and compatibility.

The Main Board, into which the other three (3) modules are inserted, contains the following:

1. The Velocity Loop for precise speed control.
2. The optional Low Pass Filter which acts to block the high frequency components to prevent armature-tach (torsional) resonance.
3. The optional  $I^2t$  or standard R.M.S. Current Roll-Back circuits.
4. The Direction Limit Activating circuits.
5. The Current Sample Feedback Network
6. The O.K. to ENABLE and ENABLED circuits.
7. The Main Bus, Control Bus, and Over Temperature Monitoring circuits.
8. The D.C. to D.C. Converter.
9. The Base Drive circuits.

The Heat Sink assembly, onto which the Thermostat and Power Transistors are mounted, serves as the Power Stage. Other modules such as the Main Bus Supply, the Control Bus Supply and the Regeneration unit (ACS-REG2) are mounted elsewhere. See Figures 1,3,5,6,7,and 8.

## **7.0 TROUBLESHOOTING HINTS**

In this section it is understood that some fault is suspected to exist within the SBD amplifier.

The best defense against down time is to keep on hand one or more complete spare SBD amplifiers. Since the SBD units are downward compatible (units of larger capacity may be used to replace smaller units) they are directly interchangeable provided the proper compensation board is installed.

Some recommended equipment for troubleshooting the SBD amplifier is as follows:

1. Adjustable Signal Source 0 -  $\pm$  10V DC (small 9V DC battery with input and reversing switches will do).
2. Dual Trace Oscilloscope.

3. D.C. Volt-Ohmmeter
4. One (1) 33K resistor with mini-alligator clip at each end.
5. One (1) 120K resistor with mini-alligator clip at each end.

Before beginning the troubleshooting process, consider the following points:

- I. There are three (3) distinct areas within, which a fault may occur:
  1. External Interface.
    - a. Circuitry external, but connecting to the SBD amplifier. (This area should have already been eliminated as a problem source.)
  2. Control Section
    - a. SBD Drive Hybrid
    - b. Modulation Hybrid
    - c. Compensation Module
    - d. Main Board
  3. Heat Sink
    - a. Thermostat
    - b. Power Transistor Modules
- II. There are only two basic fault characteristics to be considered:
  - The motor exhibits very low torque or is totally inoperative.
  - The motor is erratic or exhibits an improper mode of operation.
- III. Preparing the SBD amplifier for troubleshooting.
  - Please use caution when troubleshooting the SBD amplifier.
  - The recommended procedure for troubleshooting the unit is with the understanding that the Main Bus and Control Bus power supplies are functioning properly.
  - Disconnect the regeneration module (ACS-REG2 if installed) to eliminate it as a problem source.

- Remove all other SBD units from the rack assembly if installed to better access the defective unit.
- Do-not "cross" the connector wiring.

## 7.1 Motor Exhibits Very Low Torque or is Totally Inoperative

Prerequisites for motor movement under full torque mode are:

- Fault circuits must not be activated. Remove and reapply main power to clear internal fault circuits. The fault circuit logic information for the drive-up mode may be monitored at TP192. The SBD2 should be in the ENABLE mode when the following are at the voltage levels given with respect to TP192-1 (GND):

TP192-2 -- +12 V  
TP192-3 -- LOW  
TP192-4 -- LOW  
TP192-6 -- HIGH

- The  $\pm$  12V DC Control Power must be present at Connector LS -1 and 3 with respect to LS -2. Check fuses on SBD1-PS1 and SBD-PS2 Power Supply Cards.
- The Main Bus Power must be present at Connector C15-3 with respect to C15-1. Check fuse 17 on Main Board.
- The Green "Drive-Up" L.E.D. (5) must be illuminated (see Figure 3).
- The O.K. TO ENABLE output at Connector Output -1 and 3 must be LOW (Internal closure when the drive is up).
- The ENABLE input at Output -11 must be pulled LOW (Common).
- The ENABLED output at Connector Output -4 and 5 must be LOW. (Internal closure when the drive is up).
- The DIRECTION LIMIT inputs at Connector I/O -6 and 7 must be LOW to run (They are optional and must be HIGH to limit movement).

- The EXTERNAL LIMIT input at Connector I/O -10 must be HIGH (LOW to limit current).
- The TORQUE HOLD input at Connector I/O -12 must be HIGH (Open).
- The auxiliary contact within the motor overload relay should be closed (customer furnished).
- The continuity of the motor armature circuit must be maintained.
- Input signal must be present at Connector I/O -15 with respect to C14.
- If an ACS-REG regeneration module is used, the SBD amplifier "Over-Volts" circuit will shut the system down under heavy decelerations if the fuse on the ACS-REG module is blown. Check the fuse on the ACS-REG module. To test the Regeneration Module, press the REGEN TEST AND OVERVOLT RESET switch. Red L.E.D. should blink for proper operation.

## 7.2 Motor is Erratic or Exhibits an Improper Mode of Operation

Although improper operation may be brought about by any one of almost an infinite number of possible fault modes, the following troubleshooting hints will aid in locating some of the most probable faults:

- |    |  |   |
|----|--|---|
| 1. | High Frequency oscillations exhibited by motor.        | A.C. Gain Pot (29), located on Compensation Card, turned too far C.W. Adjust A.C. Gain Pot, per Section 5.7.  |
| 2. | Motor makes large oscillatory excursions or runs away. | Check motor and tach phasing, per Section 3.3.<br><br>SBD system backwards in Position Loop (motor moves in wrong direction). Reverse both motor and tach leads.<br><br>Excessive speed command signal present at input of SBD. |

3. Motor runs w/jerky motion.

Check tach feedback voltage with oscilloscope for interrupted signal. If tach signal has spikes going to zero, replace tach assembly.

### 7.3 Individual Circuit Testing (Refer to all Schematic Drawings and Figures)

Start the detailed testing procedure by first checking the power transistors.

Remove power. Remove the connections from the large power transistor modules. With a DVM in the diode test range check each power transistor section by placing the RED and BLACK probes of the meter on the designated points according to the following charts. Replace any defective power transistors.

#### SBD 1,6-Amp Amplifiers Only

B1 (Red) to C (Black) = LOW  
B1 (Red) to E1 (Black) = LOW  
B1 (Black) to C (Red) = HIGH  
B1 (Black) to E1 (Red) = LOW  
C (Black) to E1 (Red) = LOW  
C (Red) to E1 (Black) = HIGH  
B2 (Red) to CE (Black) = LOW  
B2 (Red) to E2 (Black) = LOW  
B2 (Black) to CE (Red) = HIGH  
B2 (Black) to E2 (Red) = LOW  
CE (Black) to E2 (Red) = LOW  
CE (Red) to E2 (Red) = HIGH  
C (Red) to E (Black) = HIGH  
C (Black) to E (Red) = LOW

#### SBD 10,16 and 20

B1 (Red) to C1 (Black) = LOW  
B1 (Red) to E1 (Black) = LOW  
B1 (Black) to C1 (Red) = HIGH  
B1 (Black) to E1 (Red) = LOW  
C1 (Black) to E1 (Red) = LOW  
C1 (Red) to E1 (Black) = HIGH  
B2 (Red) to C2-E1 (Black) = LOW  
B2 (Red) to E2 (Black) = LOW  
B2 (Black) to C2-E1 (Red) = HIGH  
B2 (Black) to E2 (Red) = LOW  
C2-E1 (Black) to E2 (Red) = LOW  
C2-E1 (Red) to E2 (Black) = HIGH

## 7.4 Testing the Control Circuits

Remove power and:

1. Remove all other SBD Boards from the rack assembly, if installed, to better access the defective SBD Board.

**CAUTION: DO-NOT-INTERCHANGE-THE-CONNECTOR-WIRING.**

2. Remove Connectors I/O, Output, C12, and C15 leaving only Connector LS (the  $\pm 12$  volt control supply).
3. Place a jumper between Connector I/O -12 and -1.  
Place a jumper between TP45-5 and TP45-6 of the Main Board.  
Place a jumper between TP192-3 and TP192-1 to defeat the Main Bus under voltage circuit.

### 7.4.1 Checking the Enable Circuits

#### O.K. TO ENABLE

Apply  $\pm 12$ V DC control power. Using an ohmmeter, place the COMMON probe on Connector Output-1. Place the POSITIVE probe on Connector Output -3. The ohmmeter should read LOW on Opto-Coupler or Relay Option. (See Page 1 of D-81235).

Enable amplifier by adding a jumper from Connector I/O -11 to I/O -1. The reading of the ohmmeter should remain unchanged. The Green LED should become illuminated, indicating the SBD amplifier is enabled.

Remove the jumper from TP192-3 (under voltage protection circuit defeat). The ohmmeter should read HIGH. Replace jumper between TP192-3 and TP192-1.

#### ENABLED

Place COMMON probe of the ohmmeter on Connector Output-4 and POSITIVE probe on Output -5. The ohmmeter should read LOW. Disable the amplifier by removing the jumper between I/O -11 and I/O -1. The ohmmeter should read HIGH. Replace the jumper between I/O -11 and I/O -1.


Remove jumper from TP192-1. The ohmmeter should read HIGH. Replace jumper. The ohmmeter should read LOW.

## 7.4.2 Checking the Triangle Wave Generator

With  $\pm 12V$  DC applied, monitor TP159 (with respect to Common, Connector I/O -1) with an oscilloscope. The waveforms (for the 10kHz standard SBD2) appear as follows:

**NOTE:** All SBD2 amplifiers operate at a 10kHz switching frequency except:

- 1) The 1 amp continuous units which operate at 15kHz.
- 2) The 105 units (Refer to Model Number System for SBD2 in front of Manual) which operate at 6.8kHz.



## 7.4.3 Checking the D.C. to D.C. Converter

To check the 16.9 kHz DC to DC Converter circuitry monitor the following points with a DC voltmeter:

For Section "A" - Negative end of Capacitor 116 with respect to its positive end for  $-6.5 \pm 0.5V$  D.C.

Positive end of Capacitor 117 with respect to its negative end for  $+6.5 \pm 0.5V$  DC.



For Section "C" - Positive end of Capacitor 118 with respect to its positive end for  $+6.5 \pm 0.5V$  DC.

Negative end of capacitor 119 with respect to its positive end for  $-6.5 \pm 0.5V$  DC.

#### 7.4.4 **Checking the Base Drive Circuits, the Modulation Hybrid, the Velocity Loop Circuit, and the SBD Hybrid**

Remove  $\pm 12V$  DC power. Remove the jumper between Connector I/O -12 and 1. Remove the jumper between TP45-5 and 6 on the Main Board.

Add jumper from Connector I/O -11 to I/O -1 (if not installed) to enable the amplifier. Turn the Speed Scale Factor Pot (28) on the Compensation Card fully C.W.

Connect the Positive output of an adjustable D.C. signal source to Connector I/O -15 with respect to -14.

Temporarily connect a 33K resistor between TP45-7 and TP45-8. Also add a 120K resistor between TP45-5 and TP45-6.


With zero input from the D.C. signal source monitor TP45-5 with a Digital Voltmeter. Adjust the zero offset pot (6) (located along the connector edge of the Main Board) for zero volts at TP45-5,  $\pm 0.5V$  DC.

### **BASE DRIVE CIRCUITS**

With zero input from the adjustable signal source and using a dual-channel oscilloscope, monitor the anode of diode 74 (on the Main Board) with respect to the negative end of capacitor 117. Also monitor the anode of diode 124 with channel 2, with respect to Connector I/O -1 (Common).

Apply  $\pm 12V$  DC. **DO NOT APPLY THE MAIN BUS SUPPLY OR SEVERE DAMAGE MAY OCCUR.**

With zero input from the D.C. signal source the Base Drive waveforms should appear similar to those below:




Apply a positive input signal to Connector I/O -15 with respect to -14. Gradually increase the input signal to approximately +5.0 volts. Both waveforms should gradually increase in pulse width until they become solid voltage levels at approximately -5.0 volts.

Apply a Negative input signal to Connector I/O -15 with respect to -14. Gradually increase the input signal to approximately -5.0 volts. Both waveforms should gradually increase in pulse width until they become solid voltage levels of approximately +1.2 volts.

Remove  $\pm 12V$  DC power. Apply zero input from the signal source. With channel 1 of the oscilloscope, monitor the anode of diode 65 with respect to the negative end of capacitor 118.

With channel 2, monitor the anode of diode 112 with respect to Connector I/O -1 (Common). Apply  $\pm 12V$  DC power.

The Base Drive waveforms should appear similar to those below:



Apply a Positive input signal to Connector I/O -15 with respect to -14. Gradually increase the input signal to approximately +5.0 volts. Both waveforms should gradually increase in pulse width until they become solid voltage levels of approximately +1.2 volts.

Apply a Negative input signal to Connector I/O -15 with respect to -14. Gradually increase the input signal to approximately -5.0 volts. Both waveforms should gradually increase in pulse width until they become solid voltage levels of approximately -5.0 volts.

Remove  $\pm 12V$  DC power.


If testing the Base Drive circuits brought positive results, it is with high probability that these circuits (considered to be signal flow paths; commencing with the Base Drive circuits and proceeding to the Modulation Hybrid, the Velocity Loop circuit and the SBD Hybrid to the Input of the amplifier) are functioning properly.

If, on the other hand, the Base Drive tests were negative proceed to checking the remainder of the circuits under the headings of this section until the faulty circuit is located and the defective component localized.

### MODULATION HYBRID

Remove  $\pm 12V$  DC power. Apply zero input from the signal source. With channel 1 of the oscilloscope monitor TP45-1. Monitor TP45-2 with channel 2, both are with respect to Connector I/O -1 (Common).

Apply  $\pm 12V$  DC power. These waveforms should appear similar to those below:




Apply a Positive input signal to Connector I/O -15 with respect to -14 (Common). Gradually increase the input signal to approximately +5.0 volts. Both waveforms should gradually increase in pulse width until they become solid at the zero voltage level.

Apply a Negative input signal to Connector I/O -15 with respect to -14 (Common). Gradually increase the input signal to approximately -5.0 volts. Both waveforms should gradually increase in pulse width until they become solid voltage levels of approximately +12.0 volts.

Remove  $\pm 12V$  DC power. Apply zero input from the signal source. With channel 1 of the oscilloscope, monitor TP45- 3. Monitor TP45-4 with channel 2, both are with respect to Connector I/O -1 (Common).

Apply  $\pm 12V$  DC power. These waveforms should appear similar to those below:



Apply a Positive input signal to I/O -15 with respect to -14. Gradually increase the input signal to approximately +5.0 volts. Both waveforms should gradually increase in pulse width until they become solid voltage levels of approximately +12.0 volts.

Apply a Negative input to I/O -15 with respect to -14. Gradually increase the input signal to approximately -5.0 volts. Both waveforms should gradually increase in pulse width until they become solid at the zero voltage level. Remove  $\pm 12V$  DC power.

If the outputs of the Modulation Hybrid brought positive results, it is very likely the Base Drive circuitry is faulty. Troubleshoot the Base Drive section to localize the defective component.

If the outputs from the Modulation Hybrid brought negative results, proceed checking the remainder of the circuits under the headings of this section until the faulty circuit is located.

### **SBD HYBRID (SECOND SECTION):**

Monitor TP45-5. Apply  $\pm 12\text{V}$  DC power. Gradually increase the input signal to approximately  $+10.0$  volts. The output of the SBD Hybrid should follow the input and clamp at about  $-8.0$  volts.

Reverse the polarity of the input signal. The output at TP45-5 should clamp at approximately  $+8.0$  volts. Remove  $\pm 12\text{V}$  DC power.

If the outputs of the SBD Hybrid, at TP45-5, brought positive results, it is very likely the Modulation Hybrid is defective. Replace the Modulation Hybrid.

If the outputs of the SBD Hybrid brought negative results, proceed checking the circuits under the headings of this section.

### **VELOCITY LOOP CIRCUIT**

Monitor TP45-8. Apply  $\pm 12\text{V}$  DC power. Gradually increase the input signal to approximately  $+10.0$  volts. The output of the Velocity Loop Op-Amp at TP45-8 should follow the input and reach an amplitude of approximately  $+11.0$  volts.

Reverse the polarity of the input signal. The output at TP45-8 should go to approximately  $-11.0$  volts. Remove  $\pm 12\text{V}$  DC power.

If the output of the Velocity Loop Op-Amp, at TP45-8, brought positive results it is likely the SBD Hybrid is defective. Replace the SBD Hybrid.

If the output at TP45-8 brought negative results, proceed to the next circuit.

### **SBD HYBRID (FIRST SECTION):**

Monitor Pin 7 of the SBD Hybrid. Apply  $\pm 12\text{V}$  DC power. Gradually increase the input signal to approximately  $+10.0$  volts. The output at Pin 7 should follow the input and reach an amplitude of approximately  $-9.5$  volts. Reverse the polarity of the input signal. The output at Pin 7 should go to approximately  $+9.5$  volts. If the output at Pin 7 brought negative results, replace the SBD Hybrid. Remove  $\pm 12\text{V}$  DC power. This concludes the circuit tests.

## 8.0 SPARE PARTS LIST

<u>DESCRIPTION</u>	<u>PART NUMBER</u>
SBD Hybrid	A-79952
SBD Modulation	A-79563
Power Transistor ( 6 Amp Units)	A-80120
Power Transistor (10 Amp Units)	A-80122
Power Transistor (16 Amp Units)	A-80121
Power Transistor (20 Amp Units)	A-79957
Fuse (F17) (Main Board) ( 6 Amp Units)	A-78900-014 (10A)
Fuse (F17) (Main Board) (10 Amp Units)	A-78900-015 (15A)
Fuse (F17) (Main Board) (16 Amp Units)	A-78900-016 (20A)
Fuse (F17) (Main Board) (20 Amp Units)	A-80552-005 (25A)
Thermostat	A-29616
Fuse for $\pm 12$ V DC Power Supply	A-79787-001
SBDI-PSI	$\pm 12$ V DC Power Supply Card
SBD -PS2	$\pm 12$ V DC Power Supply Card
ACS-REG2-160	Regeneration Card for 160 Volt Bus
ACS-REG2-225	Regeneration Card for 225 Volt Bus

# APPENDIX A

## 1.0 SBD CONNECTOR INFORMATION

Mating connectors are customer furnished items which may be obtained either from I.D. or purchased directly from connector vendors.

The specifications for the connector components are given below:

### 1.1 Basic Connectors

#### I.D. Drawing Number

CONNECTOR	DESCRIPTION	DRAWING NUMBER
I/O	Housing	A-81584-016
Output	Housing	A-81584-005
LS	Housing	A-81584-004
I/O, Output, LS	Terminal	A-81585
I/O (position 9)	Polarizing Key	A-82779
Output (position 2)	Polarizing Key	A-82779
C12 (when used)	Housing	A-80838-003
C15	Housing	A-80363-003
C12, C15	Terminal	A-80361*
C12	Clamp	A-80856-001
C15	Clamp	A-80856-002

#### Connector Kits For SBD Drive Boards

One Connector Kit is required for each SBD drive board.

## 1.2 Connector Kit and Cabling Model Number Systems

### For SBD2 With SBPR1-25 and 48 Power Supply

Example: SBC2-00X

SBC2 - ..... Connectors I/O, Output, LS,C12,C15  
X - ..... Length of leads (1 to 7 meters)

Example: SBC2-000 (no leads) Basic Parts Package\*  
SBC2-001 with 1 meter length leads  
SBC2-003 with 3 meter length leads  
SBC2-007 with 7 meter length leads

### For SBD2 With Frame Assembly includes motor leads

Example: SBD2-10X

SBC2 - ..... Connectors I/O, Output, C12  
X - ..... Length of leads (1 to 7 meters)

Example: SBC2-100 (No leads) Basic Parts Package\*  
SBC2-101 with 1 meter length leads  
SBC2-103 with 3 meter length leads  
SBC2-107 with 7 meter length leads

### For SBD2 With SBPR1-15 Power Supply includes bus and motor leads

Example: SBD-20X

SBC2 - ..... Connectors I/O, Output, LS, C12, C15  
X - ..... Length of Leads (1 to 7 meters)



Example: SBC2-200 (No leads) Basic Parts Package\*  
SBC2-201 With 1 meter length leads

To insure reliable connections, the proper crimping tool must be used when connecting wires to Amp Power Lock contact 53892-4 (INDUSTRIAL DRIVES PART NO. A-68347-1). The crimping tool recommended is Amp 30 series connector tool number 68347-1. The tool may be ordered from Amp, Inc., Harrisonburg, Pennsylvania 17105.




**NOTES:**

1. DASH NO. INDICATES NO. OF CIRCUITS (2 - 24 CIRCUITS).
2. FOR USE WITH A-81585 TERMINAL.
3. ACCEPTS .045" SQ. PINS ON .156" CTRS.
4. HOUSING TO HAVE LOCKING RAMP.



Typical Section View Showing Locking Ramp



Inches  
mm

APPROVED VENDOR: MOLEX

DASH NO.	PART NO.	DIM. A	DASH NO.	PART NO.	DIM. A	DASH NO.	PART NO.	DIM. A
002	26-03-4020	.344±.007	010	26-03-4101	1.592±.012	018	26-03-4181	2.840±.016
003	26-03-4030	.500±.007	011	26-03-4111	1.748±.012	019	26-03-4191	2.996±.016
004	26-03-4041	.656±.007	012	26-03-4121	1.904±.012	020	26-03-4201	3.152±.020
005	26-03-4050	.812±.007	013	26-03-4131	2.060±.014	021	26-03-4211	3.308±.020
006	26-03-4061	.968±.007	014	26-03-4141	2.216±.016	022	26-03-4221	3.464±.020
007	26-03-4070	1.124±.007	015	26-03-4151	2.372±.016	023	26-03-4231	3.620±.020
008	26-03-4081	1.280±.012	016	26-03-4161	2.528±.016	024	26-03-4241	3.776±.020
009	26-03-4090	1.436±.012	017	26-03-4171	2.684±.016			

**K** INDUSTRIAL DRIVES DIVISION  
 KOLLMORGEN CORPORATION RADFORD, VIRGINIA

UNLESS OTHERWISE SPECIFIED XX DEC. PLACES ± .015 XXX DEC. PLACES ± .005 ANG. DIM. ± 1°	NO.	ECN NO.	DATE	APP'D.	NO.	ECN NO.	DATE	APP'D.	DW'N BY	DATE
										TIM G.
DO NOT SCALE DWG. USE DIMENSIONS ONLY ALL DIMENSIONS ARE INCHES UNLESS OTHERWISE SPECIFIED									CHK BY	
									APP'D BY	SCM 4/7/86

**PURCHASE SPEC.**  
 .156 CTR. CRIMP TERM. HOUSING  
 FOR TRIFURCON TERMINALS

SCALE: DWG. NO. **A-81584** ISSUE 1



DWG NO

**A-** 82779

ISSUE

1

NOTE: SEE DWG. NO. A-81584 FOR CRIMP TERMINAL HOUSING.

APPROVED VENDOR: MOLEX (89-00-3001)



INDUSTRIAL DRIVES DIVISION  
RADFORD, VIRGINIA



UNLESS OTHERWISE SPECIFIED XX DEC. PLACES ± .015 XXX DEC. PLACES ± .004 ANG. DIM. ± 1°	NO.	ECN NO.	DATE	APP'D.	NO.	ECN NO.	DATE	APP'D.	DW'N BY	DATE	PURCHASE SPEC. POLARIZING KEY	SCALE:	DWG NO <b>A-</b> 82779	ISSUE 1
	DO NOT SCALE DWG USE DIMENSIONS ONLY ALL DIMENSIONS ARE INCHES UNLESS OTHERWISE SPECIFIED									LLS				
									CM'R BY					
									APP'D BY scm	7-17-87				

**NOTES:**


- 1) MATERIAL: NYLON
- 2) COLOR: RED
- 3) MATES WITH A-80839.
- 4) ACCEPTS CONTACTS A-80361.
- 5) CENTER TO BE OPEN.
- 6) THREE POSITION.

DWG NO

**A-80838**

REV

**3**



32

APPROVED VENDOR: AMP # 55528-1 2 3

E COPY CODE



INDUSTRIAL DRIVES DIVISION  
RADFORD, VIRGINIA



UNLESS OTHERWISE SPECIFIED  
XX DEC. PLACES ± .015  
XXX DEC. PLACES ± .005  
ANG. DIM ± 1°

DO NOT SCALE DWG USE DIMENSIONS ONLY  
ALL DIMENSIONS ARE INCHES  
UNLESS OTHERWISE SPECIFIED

NO	ECN NO	DATE	APP'D	NO	ECN NO	DATE	APP'D	DW'N BY	DATE
								CS	6/8/05
				3	82871 OWENS	12/28/05	LM	JCD	1/27/06
								SCM	9-1-05


PURCHASE SPEC.  
POWER LOCK, 30 SERIES,  
W/ FEMALE KEY

SCALE	DWG NO	ISSUE
	<b>A-80838</b>	<b>3</b>



VENDOR: AMP 53892-3-STRIP  
 AMP 53892-5-LOOSE  
 MAT: .035 COPPER  
 WIRE RANGE: 12 MAX.  
 PLATING: SILVER

Test Parameters  
 Housing Assembly No. 53894.  
 Plated Contact No. 53892.  
 No. 12 AWG [3 mm<sup>2</sup>] and No. 16  
 AWG [1.25-1.4 mm<sup>2</sup>] common wire.  
 Tested as single in-line connectors.



UNLESS OTHERWISE SPECIFIED XX DEC. PLACES ± 0.13 XXX DEC. PLACES ± 0.06 ANG. DIM. ± 1°	NO.	ECH. NO.	DATE	APP'D.	NO.	ECH. NO.	DATE	APP'D.	DW'N BY	DATE	PURCHASE SPEC SOLDER CONTACT
					2	82189 OWENS	6/1/87	SCM	LLS	10/17/83	
DO NOT SCALE DWG. USE DIMENSIONS ONLY ALL DIMENSIONS ARE INCHES UNLESS OTHERWISE SPECIFIED									CHK BY		SCALE: DWG. NO. <b>A-80361</b> ISSUE 2
									APP'D BY	10/21/83	

DWG. NO

**A-80363**


ISSUE

1

MAT: NYLON NATURAL COLOR

VENDOR: AMP

TEMP LIMIT: 105° C



	No. of Positions	Dimensions		Part Numbers
		A	B*	
A-80363-001	1	.312 7.92	.502 14.27	54489-1
A-80363-002	2	.624 15.85	.874 22.2	54489-2
A-80363-003	3	.936 23.77	1.188 30.12	54489-3
A-80363-004	4	1.248 31.7	1.498 38.05	54489-4
A-80363-005	5	1.560 39.62	1.810 45.97	54489-5
A-80363-006	6	1.872 47.55	2.122 53.9	54489-6

\*Dimension required only for housing with mounting figures.



**INDUSTRIAL DRIVES DIVISION**

RADFORD, VIRGINIA



UNLESS OTHERWISE SPECIFIED  
XX DEC. PLACES ± .015  
XXX DEC. PLACES ± .006  
ANG. DIM ± 1°

DO NOT SCALE DWG. USE DIMENSIONS ONLY  
ALL DIMENSIONS ARE INCHES  
UNLESS OTHERWISE SPECIFIED

NO.	ECN NO.	DATE	APP'D.	NO.	ECN NO.	DATE	APP'D.	DW'N BY	DATE
								LLS	10/17/83
								CHK BY	
								APP'D BY	10/17/83
								SCM	

PURCHASE SPEC.  
IN LINE HOUSING  
W/ FLANGE




SCALE:

DWG. NO.

ISSUE

**A-80363**

1



-001 RED  
-002 WHITE

**NOTES:**

1. MATERIAL: .032"TK PLASTIC
2. APPROV VENDOR: RICHCO PLASTIC CO.



UNLESS OTHERWISE SPECIFIED XX DEC. PLACES $\pm .010$ XXX DEC. PLACES $\pm .005$ ANG. DIM. $\pm 1'$	ISS.	ECN NO.	DATE	APP'D	ISS.	ECN NO.	DATE	APP'D	DW'N BY	DATE
						2	B2601 ENR	1-27-88	SLM	OWENS
DO NOT SCALE DWG. USE DIMENSIONS ONLY ALL DIMENSIONS ARE INCHES UNLESS OTHERWISE SPECIFIED									CH'K BY	
									APP'D BY	

**CONNECTOR CLAMP**  
**SBD**

SCALE: \_\_\_\_\_ DWG. NO. **A-80856** ISSUE **2**

## **APPENDIX B**

### **1.0 SBD Power Supply Information**

Power supplies are customer furnished items which may be obtained either from I.D. or purchased directly from power supply vendors.

Some specifications for the power supplies are given below:

#### **1.1 Control Bus**

**$\pm 12V$  DC @ 0.2% regulation;  $\pm 400$  ma. per SBD unit.**

#### **1.2 Main Bus**


The SBD2-XX-1XXX series amplifiers operate from a normal bus of 75 to 160V DC. The "Under-volts" circuit will trip at approximately 60V DC and shut the system down. The "Over-volts" circuit will trip at approximately 215V DC and shut the system down.

The SBD2-XX-2XX series amplifiers operate from a normal bus of 110 to 225V DC. The "Under-volts" circuit will trip at approximately 100 DC and shut the system down. The "Over-volts" circuit will trip at approximately 300V DC and shut the system down.

Other critical specifications on the Main Bus Power Supply are application dependent and should be discussed, according to application with our application engineering department.




**NOTES:**




SBF(P)  
4 AXIS FRAME ASSEMBLY

FIGURE 1




SBF(P)  
 4 AXIS FRAME ASSEMBLY  
 WITH SBD2 AMPLIFIERS

FIGURE 2




SBD2  
MOTOR CONTROL MODULE  
(DRIVE AMPLIFIER)

FIGURE 3




SBD2-MC2/SBD2-COMP2

FIGURE 4




SBR1  
REGENERATION MODULE

FIGURE 5



SBP(R)1  
15 AMP POWER SUPPLY MODULE

FIGURE 6



Thermostat

Regenerative Load Resistors

3 Phase Input Power

(+) Bus

(-) Bus and GND.

± 12V Power Transformer

Power Up Indicator Lamp

Regenerative Fuse


14·P - 115V AC  
14·R

14·B-(+) 12V.  
14·D-COMM  
14·F-(-) 12V.

SBP(R)1  
RIGHT SIDE VIEW SHOWING MAIN  
BUS 25 AMP POWER SUPPLY MODULE


FIGURE 7






SBP(R)1  
 LEFT SIDE VIEW SHOWING  
 REGENERATION MODULE AND  
 ± 12 VOLT CONTROL SUPPLY

FIGURE 8




SBD2-COMP VG1  
BOARD (OPTIONAL)

FIGURE 9



SBD2-TL1  
BOARD (OPTIONAL)

FIGURE 10



48



**INDUSTRIAL DRIVES DIVISION**  
**KOLLMORGEN CORPORATION**  
 201 ROCK ROAD  
 RADFORD, VA

**BLOCK DIAGRAM FOR SBD**

DESIGNED BY LLS	DRAWN BY LWZ	DATE 7/74
CHECKED BY OWENS	APPROVED BY JW	DATE 7/74

IND. DRIVES DIVISION  
 KOLLMORGEN CORPORATION  
 201 ROCK ROAD  
 RADFORD, VA  
 C-80684 2





- NOTES:
- - DENOTES COMPONENTS LOCATED ON CONTROL BOARD.
  - - DENOTES COMPONENTS LOCATED ON HEAT SINK ASSEMBLY.
  - - DENOTES CONNECTION ON COMP. CARD.
  - △ - DENOTES CONNECTION 350 HYBRID.
  - AREAS REFERENCED BY THIS NOTE INDICATES STANDARD COMPONENTS.
  - AREAS REFERENCED BY THIS NOTE INDICATES OPTIONAL COMPONENTS.

COMPONENT	SIGNAL	LOCATION	COMPONENT	SIGNAL	LOCATION
TP42-1	GND	2A7	TP45-7	YLT	10B
2	+12	2B7	8	VLO	10A
3	UV	1A6	9	TACH	10D
4	RESET	1A4	COUJ 33 1	-12	2A8
5	PLY	1A6	2	+12	2B8
6	VOY	1A6	3	GND	2A8
7	OC	1A6	41	CPBU	
TP45-1	A	2D6	5	RESET	1A4
2	B	2D6	6	TACH	10C
3	C	2D6	7	IFB	1C3
4	D	2D6	8	TL	1A8
5	I LO	1D1			
6	I LI	1D2			

COMPONENT NO.	DESCRIPTION	MANUFACTURER	QUANTITY
LF 3518U			139
LF 3538U			91, 185
LF 3478U			30, 104
D6201			140
2U3906			110, 164
2U1487			176, 177
MPS456	62, 76, 106, 127	VEIBX	121, 170
MPS406	63, 75, 109, 125	ULM200A	46
2U524E8	57	HCP - 2200	58, 60
2U5236	58, 75, 154	2H 5007-CPD	31
2U2318	147	RL-1885 - 3300	179
2U5227B	56	1U14935	125, 76, 112, 156, 178
2U5225B	130	40498	40
2U5218	150, 155	2U289	175, 180
67110K ROT	6	23C3097	67, 70, 115, 182

REVISIONS:

REV. NO.	DATE	DESCRIPTION	BY	CHKD.


SCHEMATIC SINGLE BOARD DRIVE 2

PG 2 OF 2

81235

A B C D E F G H J K L

REV. NO. SHT. 1 OF 1  
**C-80388-1** 2



51

**INDUSTRIAL DRIVES DIVISION**  
**KOLLMORGEN CORPORATION**  
 201 ROCK ROAD  
 RADFORD, VA

**SCHEMATIC**  
**SBD 2-COMP 2**


REVISED BY: LLS DATE: 11/89  
 DESIGNED BY: ECN DATE: 7/87 SCM  
 APPROVED BY: [Signature] DATE: 4/92

REV: 2 BOB 7/87 ECN DATE: 7/87 SCM  
 REV: 1 ECN DATE: 7/87 SCM

REV. NO. SHT. 1 OF 1  
**C-80388-1** 2

A B C D E F G H J K L

52




**INDUSTRIAL DRIVES DIVISION**  
**KOLLMORGEN CORPORATION**  
 201 ROCK ROAD  
 RADFORD, VA

**SCHEMATIC**  
**SBD2-COMP3**

NO. BY: LLS  
 DATE BY: 7/83  
 APP. BY: SGM  
 REV. BY: 1/74

IND. DIV. INT. OF I  
**C-80389** 1





53


PROPRIETARY INFORMATION  
 INDUSTRIAL DIVISION  
 KOLLMORGEN CORPORATION

INDUSTRIAL DRIVES DIVISION  
 KOLLMORGEN CORPORATION  
 201 ROCK ROAD  
 RADFORD, VA

SCHEMATIC  
 3BD2-COMP V61

DESIGNED BY	DATE	REVISED BY	DATE
CHKD BY		APP'D BY	
DATE		DATE	

IND. DIV. SHT. OF 1  
**C-82067-1** 1



54

NO.	ECN NO.	DATE	APP'D.	NO.	ECN NO.	DATE	APP'D.	NO.	ECN NO.	DATE	APP'D.
2	80308	1/10/80	SM	3	80315	1/16/80	SM	4	80317	1/16/80	SM


**INDUSTRIAL DRIVES DIVISION**  
**KOLLMORGEN CORPORATION**  
 201 ROCK ROAD  
 RADFORD, VA

DATE: 8/22/80  
 DRAWN BY: TDS  
 CHECKED BY: SCM

**SCHEMATIC**  
**SBD1-PS1 POWER SUPPLY**

REV. NO. SHEET NO. OF TOTAL SHEETS  
**C-80132-1 4**

120 YAC 11J



**NOTES:**

1. \* INDICATES OPTIONAL COMPONENTS.

PROPRIETARY INFORMATION  
 INDUSTRIAL DRIVES DIVISION  
 KOLLMORGEN CORPORATION




**INDUSTRIAL DRIVES DIVISION**  
 KOLLMORGEN CORPORATION  
 201 ROCK ROAD  
 RADFORD, VA

DATE: 1/10/87  
 DRAWN BY: TTR G  
 CHECKED BY: [ ]  
**SCHEMATIC**  
**SBD P52**

REV. NO.	2	DATE	2/91	BY	W/P
NO.	84241	REV.		DATE	
COPY CODE		F1			
REV. NO.	SMT. OF	DRAWING			
	<b>C-81558-1</b>				

55




56

**TABLE A**

P.C. CARD ASSEMBLY	COMPONENT-VALUE		
	13 & 14	19	23
ACS-REG1	22K 1/4W	680UF 35V	249K 1/8W
ACS-REG1-160	100K 1/4W	10UF 35V	221K 1/8W
ACS-REG1-225	162K 1/4W	10UF 35V	221K 1/8W

SPARE




PROPRIETARY INFORMATION  
 INDUSTRIAL DRIVES DIVISION  
 KOLLMORGEN CORPORATION



INDUSTRIAL DRIVES DIVISION  
 KOLLMORGEN CORPORATION  
 201 ROCK ROAD  
 RADFORD, VA

4	80572	5/10	84	DATE	1/78	BY	W/MS	REGEN BOARD SCHEMATIC
3	80471	SDD	7/25	DATE	7/25	BY	W/MS	
2	80298	SDD	4/15	DATE	4/15	BY	W/MS	




57

PROPRIETARY INFORMATION  
INDUSTRIAL DRIVES DIVISION  
KOLLMORGEN CORPORATION




INDUSTRIAL DRIVES DIVISION  
KOLLMORGEN CORPORATION  
201 ROCK ROAD  
RADFORD, VA

4	51212	CCS	DESIGNED BY	DATE	<b>REGEN BOARD ACS - REG 2</b> REV. 1 OF 1 <b>C-80737-1</b>
7	DIRIG 24185	9/4/85	DESIGNED BY	DATE	
7	REV 80737	10/85	DESIGNED BY	DATE	
2	REV 80737	11/85	DESIGNED BY	DATE	



- 34-2 ← +12
- 34-3 ← SAND
- 34-1 ← -12



PROPRIETARY INFORMATION  
INDUSTRIAL DRIVES DIVISION  
KOLLMORGEN CORPORATION



INDUSTRIAL DRIVES DIVISION  
KOLLMORGEN CORPORATION  
201 ROCK ROAD  
RADFORD, VA.



DATE BY		DATE		BY		DATE		BY		DATE		BY		DATE	
TIME		7:30 AM		DATE		DATE		DATE		DATE		DATE		DATE	
REV. NO.		81633-1		REV. NO.		81633-1		REV. NO.		81633-1		REV. NO.		81633-1	
PAGE		2		PAGE		2		PAGE		2		PAGE		2	
TITLE		SCHEMATIC		TITLE		SCHEMATIC		TITLE		SCHEMATIC		TITLE		SCHEMATIC	
PART NO.		38D2-TL1		PART NO.		38D2-TL1		PART NO.		38D2-TL1		PART NO.		38D2-TL1	
REV. NO.		C-81633-1		REV. NO.		C-81633-1		REV. NO.		C-81633-1		REV. NO.		C-81633-1	
PAGE		2		PAGE		2		PAGE		2		PAGE		2	

58









NOTES:

- 1) SBD2-06 } (3.18)
- 2) SBD2-10 } A=.125
- 3) SBD2-16 } A=.125
- 4) SBD2-20, A=.25
- 5) WHEN MOUNTING MORE THAN ONE AXIS WITHOUT FRAME ASSEMBLY, AXIS MUST NOT BE CLOSER THAN 2" CENTER TO CENTER.


6) DIMENSION = (MM) / INCHES

MATERIAL		DATE		APP'D		REV		BY		CHK'D		DATE		APP'D		REV		BY		CHK'D		DATE	
7	BITRO OWENS	7/74																					
2	BOSTIC OWENS	7/74																					
3	BOSTIC OWENS	7/74																					
4	BOSTIC OWENS	7/74																					
5	BOSTIC OWENS	7/74																					
6	BOSTIC OWENS	7/74																					

**I K C INDUSTRIAL DRIVES DIVISION**  
RADFORD, VIRGINIA

**OUTLINE & DIMENSION**  
SBD2

SCALE: PART LIST NO.  
DIM. C DIM. NO. 80447 7



**NOTES:**


- 1) LONG & SHORT DASH LINE SHOWS VENDOR FURNISHED COMPONENTS AND VENDOR CONNECTIONS.
- 2) COMPONENTS AND CONNECTIONS OUTSIDE THIS LINE ARE TO BE CUSTOMER FURNISHED.
- 3) AIR FLOW FROM FAN SHOULD BE TOWARD SBD AMP, WHICH SHOULD BE MOUNTED TO THE LEFT OF THE POWER SUPPLY S3PI-15

MATERIAL				HEAT TREAT				FINISH			
NO.	QTY	DATE	APP'D.	NO.	QTY	DATE	APP'D.	NO.	QTY	DATE	APP'D.
2	1										
3	1										
4	1										

INDUSTRIAL DRIVES  
 A Subsidiary of  
**SYSTEM & INTERNAL WIRING SBPI-15**

SCALE: NONE  
 DRW. NO. C  
 81606  
 REV. 4

**-CAUTION-**  
 TO PREVENT DAMAGE TO  
 SBD CARD, DO NOT CONNECT  
 BUSS CONNECTOR INTO MOTOR  
 CONNECTION \* 12 ON SBD CARD.



69

**INDUSTRIAL DRIVES**  
 Radford, Virginia  
 A HOLLAND GROUP COMPANY

**FRAME ASS'Y  
 SCHEMATIC**

4	B3004	SBD	3-235	ZLN	DRN BY	
3	B2592	SD	4-235	ZLN	CHK BY	
2	B0163	OWENS	1-14-63	ZLN	APP'D	1/14/63

SCALE: NONE  
 DWG. NO. C-80316-1  
 ISSUE 1



**-CAUTION-**

TO PREVENT DAMAGE TO SBD CARD, DO NOT CONNECT BUS CONNECTOR INTO MOTOR CONNECTION #12 ON SBD CARD

**NOTES:**

- \* DENOTES CUSTOMER FURNISHED COMPONENTS
- THE STANDARD SINGLE BOARD AMPLIFIER WILL HAVE A RELAY OUTPUT.

RELAY - 1 AMP 28-VDC RESISTIVE OR  
.5 AMP 120 VAC RESISTIVE.



- 10:0 OR 3:0 TRANSFORMER SHOULD BE SELECTED FOR SYSTEM REQUIREMENTS AND TO LIMIT THE MAXIMUM INRUSH CURRENT TO 1000 AMPS. (AVAILABLE FROM INDUSTRIAL DRIVES)
- SECONDARY VOLTAGE (DEPENDS ON SYSTEM) REFER TO MANUFACTURER FOR MAXIMUM VOLTAGE.
- 3Ø INPUT FUSE SHOULD BE SELECTED FOR SYSTEM REQUIREMENTS.
- CUSTOMER HOOK-UP TO I/O, OUTPUT AND LS IS 18AWG AND MOTOR IS 12AWG.

FUNCTION	RELAY OPERATIONAL	DESCRIPTION	STD. OR OPT. FUNCTION
ENABLE	NO	CLOSE TO ENABLE	STANDARD
TORQ HOLD	NO	CLOSE TO ENABLE	STANDARD
EXT LIMIT	NO	CLOSE TO ENABLE	STANDARD
DIR LIMIT	NC	OPEN TO INHIBIT	OPTIONAL
	CW		
COMP SWITCH	NO	COMP 1	OPTIONAL
	NC	COMP 2	OPTIONAL


ALL FUNCTIONS REQUIRE SINK OF 2MA @ 5 VOLTS WHEN CLOSED

- CONNECTOR I/O PIN 9 AND OUTPUT PIN 2 ARE USED TO KEY CONNECTORS.

3Ø AC INPUT



9	83770	OWENS	11/1/90	SCM
8	83306	SDD	3-22-89	SCM
7	82560	SDD	7/12/88	SCM
6	82592	SDD	4/25/88	SCM
5	80521	OWENS	8/6/84	SCM
4	80435	GEARHEAT	7-6-84	SCM
3	80317	SHUMAKER	4/23/84	SCM
2	80123	OWENS	12/20/83	SCM



DATE	BY	SYSTEM WIRING DIAGRAM
TDS	SM	SDFP1/2222
SCALE	%	
REV		
SHT 1 OF 1		C-80275 9

**-CAUTION-**

TO PREVENT DAMAGE TO SBD CARD, DO NOT CONNECT BUS CONNECTOR INTO MOTOR CONNECTION #12 ON SBD CARD

**NOTES:**

- \* DENOTES CUSTOMER FURNISHED COMPONENTS
- THE STANDARD SINGLE BOARD AMPLIFIER WILL HAVE A RELAY OUTPUT.

RELAY - 1 AMP 28-VDC RESISTIVE OR  
 .5 AMP 120 VAC RESISTIVE.










3-10 OR 30 TRANSFORMER SHOULD BE SELECTED FOR SYSTEM REQUIREMENTS AND TO LIMIT THE MAXIMUM INRUSH CURRENT TO 1000 AMPS. (AVAILABLE FROM INDUSTRIAL DRIVES)

- SECONDARY VOLTAGE (DEPENDS ON SYSTEM) REFER TO MANUFACTURER FOR MAXIMUM VOLTAGE.
- 3Ø INPUT FUSE SHOULD BE SELECTED FOR SYSTEM REQUIREMENTS.
- CUSTOMER HOOK-UP TO I/O, OUTPUT AND LS IS 18 AWG AND MOTOR IS 12 AWG.

FUNCTION	RELAY	OPERATIONAL DESCRIPTION	STD. OR OPT. FUNCTION
ENABLE	NO	CLOSE TO ENABLE	STANDARD
TORQ HOLD	NO	CLOSE TO ENABLE	STANDARD
EXT LIMIT	NO	CLOSE TO ENABLE	STANDARD
DIR LIMIT	NC	OPEN TO INHIBIT	OPTIONAL
COMP SWITCH	NO	COMP 1	OPTIONAL
	NC	COMP 2	OPTIONAL

ALL FUNCTIONS REQUIRE SINK OF 2MA @ 4 VOLTS WHEN CLOSED


7. CONNECTOR I/O - PIN 9 AND OUTPUT PIN 2 ARE USED TO KEY CONNECTORS.



6	83770	OWENS	11/1/90	SEM
5	82667	EWR	7-22-88	SEM
4	82646	SDD	6/27/88	SEM
3	80521	OWENS	8/16/84	SEM
2	80317	SHUMAKER	4/23/84	SEM



DESIGN BY OWENS	DATE 10/8	SYSTEM WIRING DIAGRAM SBFP1/222222	
DRAWN BY SEM	SCALE 3/8"	REV. NO. C-80312	SHT. 1 OF 2 6



67

<b>INDUSTRIAL DRIVES</b> Radford, Virginia A HOLLANDSBACH COMPANY	
DESIGNED BY: <b>OWENS</b> CHECKED BY: <i>[Signature]</i>	SYSTEM WIRING DIAGRAM SBFPI/222222
SCALE: ~	OWENS NO. SHIT. OF 2 <b>C-80312</b>
DATE:	ISSUE: 6


FUNCTION	RELAY	OPERATIONAL DESCRIPTION	STD. OR OPT. FUNCTION
ENABLE	NO	CLOSE TO ENABLE	STANDARD
TORQ HOLD	NO	CLOSE TO ENABLE	STANDARD
EXT LIMIT	NO	CLOSE TO ENABLE	STANDARD
DIR LIMIT	NC	OPEN TO INHIBIT	OPTIONAL
CW	NC		
CCW	NC		
COMP SWITCH	NO	COMP 1	OPTIONAL
	NC	COMP 2	OPTIONAL

2 ALL FUNCTIONS REQUIRE SINK OF 2 MA @ 4 VOLTS WHEN CLOSED

**NOTES:**

- \* DENOTES CUSTOMER FURNISHED COMPONENTS
- THE STANDARD SINGLE BOARD AMPLIFIER WILL HAVE AN RELAY. OUTPUT FOR OK TO ENABLE AND ENABLE.
- RELAY - 1 AMP 28 VDC RESISTIVE OR .5 AMP 120 VAC RESISTIVE.
- 1Ø OR 3Ø TRANSFORMER SHOULD BE SELECTED FOR SYSTEM REQUIREMENTS AND TO LIMITS THE MAXIMUM INRUSH CURRENT TO 1000 AMPS. (AVAILABLE FROM INDUSTRIAL DRIVES)
- SECONDARY VOLTAGE (DEPENDS ON SYSTEM) REFER TO MANUFACTURER FOR MAXIMUM VOLTAGE.
- 3Ø INPUT FUSE SHOULD BE SELECTED FOR SYSTEM REQUIREMENTS.
- CUSTOMER HOOK-UP TO I/O, OUTPUT & LS IS 18 AWG AND MOTOR IS 12 AWG.

88



**-CAUTION-**  
 TO PREVENT DAMAGE TO SBD CARD DO NOT INTERCHANGE BUS & MOTOR CONNECTIONS!

4	84140	ENR	9-4-91
3	83110	EXPENS	11/1/7
2	82787	SDU	10/17/88

**INDUSTRIAL DRIVES**  
 Fairfax, Virginia  
 A FINE CORPORATION MEMBER


DATE: 11/1/88  
 BY: [Signature]  
 CHECKED: [Signature]  
**SYSTEM WIRING DIAGRAM**  
 SBFP3/2222R

REV. NO. SMT 1 OF 2 11-118  
**C-81615** 4


E COPY CODE





(CONTINUED FROM SH 1)




69

 <b>INDUSTRIAL DRIVES</b> Bedford, Virginia A Dresser Industries Company		SYSTEM WIRING DIAGRAM SBFP3/C222R	
		DATE: 08/20/82 DRAWN BY: EWR CHECKED BY:	SHEET: 4 OF 4 NO.: C-81615

- \*1. BATTERY
- \*2. 1Ø POWER SUPPLY
- \*3. 3Ø POWER SUPPLY



**-CAUTION-**  
 TO PREVENT DAMAGE TO SBD CARD, DO NOT CONNECT BUS CONNECTOR INTO MOTOR CONNECTION #12 ON SBD CARD.



**3 METHODS OF DERIVING DC BUS-SEE NOTE 3**

**NOTES:**

- \* CUSTOMER FURNISHED.
- ① VDC: SBD2-XX-1XXX = 80 - 160, SBD2-XX-2XXX = 105 - 225  
 THE SELECTION OF THE SIZE AND VOLTAGE RATING OF C IS A FUNCTION OF THE SYSTEM REQUIREMENT WITH THE FOLLOWING GENERAL RULES:  
 A) THE CAPACITANCE VALUE SHOULD LIMIT THE RATIO OF THE PEAK TO AVERAGE VOLTAGE TO 10% OR LESS.  
 B) THE CAPACITANCE VALUE SHOULD LIMIT THE BUS TO A 10 TO 15% DROP DURING HIGH ACCEL. OPERATION.  
 C) THE CAPACITANCE VALUE SHOULD LIMIT THE RISE IN THE BUS VOLTAGE DURING MOTOR DECEL. TO AN ADDITIONAL 40 VOLTS ABOVE ITS NORMAL VALUE.
- ② INPUT FUSES SHOULD BE SELECTED FOR SYSTEM REQUIREMENTS.
- ③ DC BUS MAY BE SUPPLIED BY THE CUSTOMER BY ONE OF THE FOLLOWING:  
 (A)-BATTERY-REFER TO AMPLIFIER MODEL NO. FOR MAX. BUS VOLTAGE.  
 (B)-3Ø DC POWER SUPPLY OR 1Ø DC POWER SUPPLY-(TRANSFORMER AVAILABLE FROM INDUSTRIAL DRIVES.)
- ④ THE STANDARD SINGLE BOARD AMPLIFIER WILL HAVE A RELAY OUTPUT FOR OK TO ENABLE AND ENABLED. AN OPTOCOUPLER OUTPUT IS OPTIONAL.  
 RELAY - 1AMP 28 VDC RESISTIVE OR .5AMP 120VAC RESISTIVE.
- ⑤ SHIELDED CABLE IS RECOMMENDED FOR CUSTOMER CONNECTION TO CONNECTOR #1. TACH HI, LO AND DIFF HI, LO SHOULD USE SHIELDED PAIRS. SHIELDS ARE TO BE TERMINATED TO EITHER MACHINE OR EARTH GROUND OR I/O CONNECTOR, BUT NOT TO ALL OF THEM. ONE END OF SHIELD TO BE OPEN AND INSULATED.
- ⑥ SECONDARY VOLTAGE L-L WILL DETERMINE DC BUS VOLTAGE. CONSULT FACTORY.
- ⑦ BUS OF POWER SUPPLY MUST BE CONNECTED TO MACHINE OR EARTH GROUND.

CONNECTOR	FUNCTION	RELAY	OPERATIONAL DESCRIPTION	STD. OR OPT. FUNCTION
"I/O"	ENABLE	NO	CLOSE TO ENABLE	STANDARD INPUT
	TORQ HOLD	NO	CLOSE TO ENABLE	STANDARD INPUT
	EXT LIMIT	NO	CLOSE TO ENABLE	STANDARD INPUT
OUTPUT	DIR LIMIT CW CCW	NC NC	OPEN TO INHIBIT	OPTIONAL INPUT
	COMP SWITCH	NO	CLOSE TO ENABLE COMP2	OPTIONAL INPUT
OUTPUT	OK TO ENABLE	NO	CLOSE FOR NO FAULT DETECTED	STANDARD OUTPUT
	ENABLED	NO	CLOSE FOR NO FAULT DETECTED AND AMPLIFIER ENABLED.	STANDARD OUTPUT


ALL FUNCTIONS REQUIRE SINK OF 2 ma @ .4 VOLTS WHEN CLOSED.

8	83770	OWENS	11/1/90	SCM
7	83573	OWENS	4/5/70	SCM
6	82667	ENR	7-22-88	SCM
5	82277	SDD	8-20-87	SCM
4	81070	GEARHEART	7-4-85	SCM
3	80674	SHAWMUT	11/12/84	SCM
2	80521	OWENS	8/15/84	SCM



SYSTEM WIRING DIAGRAM  
 SBD2

70



71

MATERIAL				HEAT TREAT				FINISH			
NO	QTY	DATE	APP'D	NO	QTY	DATE	APP'D	NO	QTY	DATE	APP'D
2	82592	11/1/71	SCM								
3	QWENS	7/2/80									
4	82712	7/2/80	SCM								
	SDD										

**INDUSTRIAL DRIVES**  
 Eastern, Virginia  
 A THOMSON COMPANY

**SYSTEM WIRING  
 DIAG. SBP1-40-13000**



SCALE: PART LIST: 1:1  
 REV C DWG NO 80770 4

NOTES:

\* RECOMMENDED LINE FUSES  
(CUSTOMER FURNISHED)  
MINIMUM FUSE SIZE 25AMP 250 VOLTS

DO NOT SCALE DIMS USE DIMENSIONS ONLY ALL DIMENSIONS ARE INCHES UNLESS OTHERWISE SPECIFIED	UNLESS OTHERWISE SPECIFIED 2X REC PLACES 1 015 2X REC PLACES 1 031 AND DIM 1	UNLESS OTHERWISE SPECIFIED REMOVE ALL BURRS AND BREAK ALL SHARP EDGES	DWG NO C 30636	ISSUE 5
--	---	---	-------------------	------------

D  
C  
B  
A



72

MATERIALS				HEAT TREAT				FINISH				 INDUSTRIAL DRIVES Martinez, Virginia A GEORGE EASTMAN COMPANY
NO.	QTY	DATE	APP'D.	NO.	QTY	DATE	APP'D.	NO.	QTY	DATE	APP'D.	
2	80668	5-14	WJL									SYSTEM WIRING DIAGRAM SBR 1
3	80706	5-14	WJL									
4	80707	5-14	WJL									
5	82429 SD	5-14	WJL									

SCALE: PART LIST NO.  
DWG NO. C 80636  
ISSUE 5

DO NOT SCALE DWG. USE DIMENSIONS ONLY.  
ALL DIMENSIONS ARE INCHES  
UNLESS OTHERWISE SPECIFIED


UNLESS OTHERWISE SPECIFIED  
XX DEC. PLACES  $\pm .015$   
XXX DEC. PLACES  $\pm .005$   
ANG. DIM.  $\pm .1^\circ$

UNLESS OTHERWISE SPECIFIED  
REMOVE ALL BURRS AND  
BREAK ALL SHARP EDGES

DWG. SIZE **B**

DWG. NO. 80746

ISSUE 5



NOTES:

1) - MARK THIS SURFACE WITH THE NUMBER \*15

73

DASH NO.	DIM A	DASH NO.	DIM A
001	3FT.	009	27FT
002	6FT.	010	30FT
003	9FT.	011	33FT
004	12FT.	012	36FT
005	15FT.		
006	18FT.		
007	21FT.		
008	24FT		

MATERIAL				HEAT TREAT				FINISH				INDUSTRIAL DRIVES DIVISION RADFORD, VIRGINIA	
NO.	ECN NO.	DATE	APP'D.	NO.	ECN NO.	DATE	APP'D.	NO.	ECN NO.	DATE	APP'D.	DATE	DATE
2	80821	8/1/84	SCM									11/5/85	
3	81053	3/30/84	SCM									7/18/84	
4	81050	1/14/84	SCM									7/19/84	
5	82281	7/24/84	SCM										


SCALE		PART LIST NO.	
DWG. SIZE <b>B</b>	DWG. NO. 80746	ISSUE 5	

DO NOT SCALE DWG. USE DIMENSIONS ONLY.  
 ALL DIMENSIONS ARE INCHES  
 UNLESS OTHERWISE SPECIFIED

UNLESS OTHERWISE SPECIFIED  
 XX DEC. PLACES 2 .019  
 XIX DEC. PLACES 2 .005  
 AVG. DIM. 2 1"

UNLESS OTHERWISE SPECIFIED  
 REMOVE ALL BURRS AND  
 BREAK ALL SHARP EDGES

DWG. SIZE **B** DWG. NO. 80781 ISSUE 4



NOTES:  
 1)-MARK THIS SURFACE WITH THE NUMBER #12.

DASH NO.	DIM A	DASH NO.	DIM A
001	3FT.	009	27FT
002	6FT.	010	30FT
003	9FT.	011	33FT
004	12FT.	012	36FT
005	15FT.	013	39FT
006	18FT.	014	42FT
007	21FT.	015	45FT
008	24FT.	016	48FT

MATERIAL				HEAT TREAT				FINISH				INDUSTRIAL DRIVES DIVISION			
NO.	ECH NO.	DATE	APP'D.	NO.	ECH NO.	DATE	APP'D.	NO.	ECH NO.	DATE	APP'D.	OWENS	DATE	ROLLMORGEN CORPORATION	RADFORD, VIRGINIA
2								2	80753	7/4/84	SLM	OWENS	8/10/84	CONNECTOR KIT-MOTOR	
3								3	81050		SLM	OWENS		SBC2	
4								4	83397	11/27/89	SLM			SCALE: PART LIST NO.	
												DWG. SIZE <b>B</b>	DWG. NO. 80781	ISSUE 4	




DO NOT SCALE DWS. USE DIMENSIONS ONLY.  
ALL DIMENSIONS ARE INCHES  
UNLESS OTHERWISE SPECIFIED

UNLESS OTHERWISE SPECIFIED  
22 DEC. PLACES 2 .015  
252 DEC. PLACES 2 .000  
ANG. DIM. 2 1"

UNLESS OTHERWISE SPECIFIED  
REMOVE ALL CURBS AND  
BREAK ALL SHARP EDGES

DWG. SIZE **B** DWS. NO. **81526** ISSUE **5**



SPACING TABLE

DASH NO.	A	B	C	D	E	F	G	H	J
004	2 1/8"	2 1/8"	2 1/8"						10"
005	2 1/8"	2 1/8"	2 1/8"	2 1/8"					11"
006	2 1/8"	2 1/8"	2 1/8"	2 1/8"	2 1/8"				11"
007	2 1/8"	2 1/8"	2 1/8"	2 1/8"	2 1/8"	2 1/8"			11"
008	2 1/8"	2 1/8"	2 1/8"	2 1/8"	2 1/8"	2 1/8"	2 1/8"		3FT
009	2 1/8"	2 1/8"	2 1/8"	2 1/8"	2 1/8"	2 1/8"	2 1/8"	2 1/8"	3FT
104	4 1/8"	4 1/8"	4 1/8"						11"
105	2 1/8"	5 3/4"	4 1/8"	4 1/8"					8 7/8"
* 106	2 1/8"	3 3/4"	3 3/4"	2 1/8"	3 3/4"	3 3/4"			10"
107	2 1/8"	2 1/8"	2 1/8"	2 1/8"	2 1/8"	2 1/8"			8 1/2"
108	2 1/8"	5 3/4"	4 1/8"						9"
109	2 1/8"	5 3/4"							9"
304									
305									
* 306	4 1/8"	5 1/2"	3 3/4"	2 1/8"	3 3/4"				11"

NOTES:

1 \* -106 AND -306 CAN NOT BE USED ON SBD2'S AND SBD4'S.

MATERIAL				HEAT TREAT				FINISH				INDUSTRIAL DRIVES	
NO.	QTY	DATE	APPRO.	NO.	QTY	DATE	APPRO.	NO.	QTY	DATE	APPRO.	DATE	DATE
2	1											9/1/85	
3	1												
4	1												
5	1												

LOGIC CABLE ASS'Y

OWS. SIZE **B** DWS. NO. **81526** ISSUE **5**



